

PROCEEDINGS
OF THE
CALIFORNIA ACADEMY OF SCIENCES
FOURTH SERIES

G Dallas Hanna Anniversary Volume

Vol. XXXII, No. 8, pp. 219-289, 4 figs.

May 20, 1963

CONTRIBUTION TO THE BIOGEOGRAPHY
OF COCOS ISLAND, INCLUDING A
BIBLIOGRAPHY

by


Leo George Hertlein

*Curator of Invertebrate Paleontology
California Academy of Sciences*

CONTENTS

Introduction	220
Acknowledgments	220
General Remarks	221
Biogeography	225
Zoology	229
Phylum Protozoa	229
Phylum Coelenterata	230
Phylum Bryozoa	232
Phylum Brachiopoda	234
Phylum Echinodermata	234
Phylum Mollusca	237
Phylum Annelida	244
Phylum Arthropoda	245
Phylum Chordata	252

[219]



CONTENTS—Cont.

Botany	254
Bibliography	254

ILLUSTRATIONS

Figures:

1. Cocos Island, at mouth of Arroyo del Genio.....	222
2. Cocos Island, just south of Chatham Bay.....	224
3. Map showing position of Cocos Island and the course of the equatorial countercurrent during August–September of a normal year	227
4. Map showing position of Cocos Island and the course of the current westward from along Central America during 1891, a year of extreme displacement southward of the currents.....	228

INTRODUCTION

The author's interest in Cocos Island was stimulated by an opportunity to collect mollusks on the island in 1932, during the return of an expedition to the Galápagos Islands on G. Allan Hancock's motor cruiser *Velero III*. The results of a study of these mollusks are contained in two papers, one on marine species (Hertlein, 1932) and one dealing with non-marine and brackish-water species (Hanna and Hertlein, 1938).

The present paper presents information concerning the species of mollusks which I collected, including those reported on in various publications, and summarizes what is known about the relationships and the zoogeographical significance of this assemblage.

In addition to this, during the course of this study, information was accumulated concerning the occurrence and distribution of representatives of other phyla of organisms reported from Cocos Island. This information is included under each major category along with the names of authors and dates of pertinent references, which are included in the bibliography. However, no attempt has been made to include all the phyla or all the species reported from Cocos and scattered throughout the literature. I believe, however, that the biota here mentioned is representative of the island.

ACKNOWLEDGMENTS

The author gratefully acknowledges the aid of several persons without whose cooperation this paper would not have appeared in its present form. Dr. Alan E. Leviton, Department of Herpetology, California Academy of Sciences, gave helpful criticism of the manuscript. In the same institution, Mr. Hugh B. Leech and Dr. C. Don MacNeill, Department of Entomology,

contributed information concerning the insects of Cocos Island. Dr. Francis X. Williams, Chula Vista, California, also furnished information concerning the insects which he observed on Cocos Island. Dr. Robert T. Orr, Department of Ornithology and Mammalogy, California Academy of Sciences, and Dr. Paul Sludd, Department of Natural Sciences, University of Florida, aided with information on the birds of this island. Dr. Elizabeth McClin-tock, Department of Botany, California Academy of Sciences, gave advice concerning the portion of this paper dealing with the botany; and Dr. John C. Briggs, Department of Zoology, University of British Columbia, contributed information concerning the fishes of Cocos Island. Dr. Robert Robertson, Department of Mollusks, Academy of Natural Sciences of Philadelphia, cooperated by loaning specimens of some of the species which were reported from Cocos Island by Pilsbry and Vanatta.

Several members of the Allan Hancock Foundation, University of Southern California, generously contributed their time to furnish information and to read those portions of the manuscript dealing with their special field of study. To these I express my sincere appreciation: Dr. John S. Garth and Miss Janet Haig, Crustacea; Dr. John D. Soule, Bryozoa; Dr. Olga Hartman, Annelida; Mr. Fred Ziesenhenné, Echinodermata.

Miss Veronica Sexton, Librarian, California Academy of Sciences, aided in making available needed literature, some of which was lent by the University of California, or consulted in the Bancroft Library, University of Washington, University of Missouri, University of Chicago, San Francisco Public Library and Seattle Public Library.

Mr. William Old, Jr., American Museum of Natural History, New York City, kindly checked certain references in the libraries available to him. Mr. Robert I. Nesmith, Curator, Foul Anchor Archives, Rye, New York, furnished information concerning manuscripts and published literature concerning Cocos Island. Mr. William A. Coolidge, Cambridge, Massachusetts, generously lent me a copy of a rare paper dealing with an expedition to Cocos Island by his brother, Amory Coolidge. Dr. Bruce Halstead, World Life Research Institute, Colton, California, and Mr. B. Joseph O'Neil, Boston Public Library, also furnished useful information.

Photographs of the Island were made available by Dr. John S. Garth, Allan Hancock Foundation, and Mr. Don Ollis, Santa Barbara, California.

GENERAL REMARKS

Cocos Island lies at $5^{\circ} 32' 57''$ North Latitude and $86^{\circ} 59' 17''$ West Longitude, about 500 kilometers (300 miles) west of Costa Rica and about 630 kilometers (350 miles) northeast of the Galápagos Islands. This island was known to mariners and cartographers at least as early as the first half

of the sixteenth century for it was first shown as "Ye de Coques" on a map by Nicholas Desliens, in 1541 (Anonymous, 1920, p. 15).

The name of this island appeared on many maps and in various publications during the following centuries. The abundance of fresh water, wood, pigs, sea fowl, fish, and coconuts, and the ease with which they could be obtained, made this small island a favorite stopping place of pirates, privateers, and whaling vessels (Colnett, 1798, p. 73, mentioned placing 2000 coconuts on board the *Rattler* when he stopped there in 1793). The names of various ships (see Hancock and Weston, 1960, pp. 300-302) carved in the rocks at Chatham Bay are reminders of these early visitors. Two bays offer anchorage for ships. Wafer Bay is the more attractive for visitors but



FIG. 1. Wafer Bay, Cocos Island, at the mouth of Arroyo del Genio. View showing sandy beach, dense vegetation, and a small house used by treasure hunters. (Photograph by John Garth, 1931.)

Chatham Bay, on the northeast side of the island, is more sheltered from the prevailing winds and offers more secure anchorage. In 1936, the government of Costa Rica issued stamps of several denominations on which an outline map of the island appears.

Politically, Cocos Island belongs to Costa Rica which country exercised sovereignty over it when, in 1888,¹ August Gissler was nominated Governor of the island (see Anonymous, 1920, p. 23) with a concession to search for treasure. The circumference of Cocos is about 23.3 kilometers (13 nautical miles or 14.6 statute miles), and the land area comprises approximately 46.6 square kilometers. The highest point, located in the western portion of the

1. Molina, 1851 (p. 27), mentioned that Cocos Island belonged to Costa Rica.

island, is reported to be 849.8 meters (2,788 feet) above sea level (see Anonymous, 1935, U.S. Hydrographic Office chart 823, South Pacific sheet 1; Anonymous, 1945, U.S. Hydrographic Office chart 1685, ed. 9).² Much of the coast is abrupt, and in places towering cliffs reach a height of 182.88 meters (600 feet). Chubb (1933, p. 27) remarked on these high cliffs and stated: "It is clear that when the cliffs were being formed the island stood some two or three hundred feet higher above sea level than it does now, but that since then either it has subsided or the sea level has risen, with the result that the lower part of the cliffs is submerged and the lower reaches of the mature river valleys are flooded." He also remarked that at some places a shore-shelf a few feet above sea level is evidence of post-Pleistocene fall in the sea level.

The island is composed of volcanic agglomerates, tuffs, and chiefly of lava flows of labradorite-andesite and hornblende labradorite-andesite (Chubb, 1933, p. 29). It is situated upon the southwestwardly trending Cocos Ridge (Shumway, 1954) which in general lies about 1829 meters (1000 fathoms) below sea level. Chubb (1933, p. 30), concluded from a study of the rocks that "The Cocos Island analyses [of andesite] compare fairly closely with those of the Galapagos basalts, but their alumina and potash content is higher, and their lime content is lower. Except for their abnormally high alumina content they compare better with labradorite-andesites from Rapa and Tahiti." Macdonald (1949, p. 1588), however, believed that knowledge of the composition of the rocks on Cocos Island is not sufficient to justify placing it in the mid-Pacific petrographic province.

Sedimentary rocks have been mentioned [Pittier, 1899, p. 144; Charvarría Mora (in Pittier), p. 158; Thomas, 1960, p. 34] as occurring on the island but if present there, the details are vague.

Cocos Island, in general, lies within the path of the eastward flowing equatorial counter current. Occasionally, however, southward shifting of currents brings the island under the influence of currents sweeping westward from the mainland (see figures 3 and 4). The temperature of the air ranges between 20°C. (68°F.) and 33.3°C. (92°F.) (Stewart, 1912, p. 378), and the months of greatest rainfall are reported to be May, June, and July, although there is heavy rainfall throughout the year. The surface temperature of the sea water is reported to be about 26.7°C. (80°F.) but there is a mean annual variation of about 5°C. (10°F.).

This beautiful and picturesque island is densely covered with vegetation in which palms and cecropia trees are conspicuous. Abundant rainfall gives rise to numerous waterfalls which plunge over steep cliffs. Flocks of sea birds (terns, noddies, Frigate-birds, and boobies), flying about the bays, and others perched in the trees, add to the attractiveness of the scene.

2. According to Murphy (1936, p. 317), "The central hills rise to an altitude of 518 meters, which is much less than is commonly credited to them."



FIG. 2. East side of Cocos Island, just south of Chatham Bay. View showing cliff, waterfall, and dense vegetation. (Photograph by Don Ollis, December 26, 1952.)

Any attempt to penetrate inland, however, is accomplished with difficulty because of the rough and irregular land surface which is covered by dense rain forest. Attempts to follow the bed of the stream emptying into Chatham Bay or the one in Arroyo del Genio (also cited as Canyon del Infierno on some maps) at Wafer Bay, is fraught with difficulty. The rocks in the stream and along the banks are very slick, and the stream bed is frequently interrupted by cliffs forcing the traveler to make a torturous detour. The presence of a particular fly, *Leucomelina pica*, and a species of ant, *Wasmannia auropunctata*, also add to the discomfort of such an adventure. One shipwrecked adventurer (Palliser, Brawner and Stachwick, 1932, p. 134) described his attempt to cross the high ridge between Wafer Bay and Chatham Bay, a distance over water, by boat, of about 1.6 kilometers (1 mile). He lost his way in the dense jungle growth of trees, vines, tall sharp-edged grass, was drenched by frequent torrential rains, and after other harrowing experiences, found his way back to Wafer Bay only after

several days had elapsed. Travel over the plateau-like top of the island is reported to be less difficult.

Cocos Island is best known from traditional accounts of treasure reputed to be buried there about 1819–1820, the value variously estimated at 60 to 100 million dollars. A large portion of this is supposed to have been placed there by a pirate, Benito Bonito (alias Bennett Graham) of the *Relampago*, who looted cities and ships along the coast of South America. Tradition has it that additional treasure was buried on the island by Captain William Thompson.

According to this latter story, a revolution in Peru, in 1820, led authorities in Lima to entrust for safe-keeping to Captain Thompson of the *Mary Dear* the "treasure of Lima," gold and jewels said to be valued at many millions of dollars. The vessel made its way to Cocos Island where the treasure was reputedly buried at Wafer Bay. The subsequent search with expenditure of much time, energy, and money has led to over 400 expeditions (Riesenberg, 1951, p. 5) of which at least 25 were well-equipped major expeditions. Captain August Gissler spent nearly 18 years searching for the treasure.

Although it has been rumored from time to time that these treasure-troves have been found, so far as is definitely substantiated, no one has found them, other than an occasional coin the source of which is unknown. A vast amount of literature has grown up based upon these fascinating legends of treasures and the search for them. Many references to this subject are contained in the bibliography.

For additional general information concerning Cocos Island see the following: Anonymous (1920; 1939b; 1945; 1951); Beebe (1926); Belcher (1843); Campbell (1932; 1934); Collenette (1926); Dampier (1729); Fraser (1943); Gueydon (1948); Hancock and Weston (1960); Lièvre (1893); Nesmith (1958); Pittier (1899); Rogers (1931); Rose (1926); Schmitt (1939a); Slevin (1931); Snodgrass and Heller (1902); Vancouver, 1798; Wafer [1699 (1903)].

BIOGEOGRAPHY

An excellent summary of the zoogeography of the vertebrate fauna of Cocos Island was published by Schmidt (1930). The general consensus of most authors who have given careful consideration to this subject is that the island received its fauna and flora by transport over open water and that the endemic species have arisen because of geographic isolation.

The vertebrate fauna of Cocos Island consists of two lizards and seven land birds. Townsend reported a snake (not identified as to genus or species) from this island, but this record has not been substantiated by any subsequent collection from there. The lizards and three endemic land birds

differ from any other species, but their closest relatives live in Central America. There are no native mammals. A rat, *Rattus norvegicus*, is reported to have reached the island, undoubtedly from some of the many ships which have anchored there or from an occasional shipwreck. Pigs have been introduced, and evidence of their destructive influence is noticeable at many places. There are also reports of other domestic animals including cats, goats, deer, chickens, and even monkeys (Thomas, 1960, p. 34), introduced on the island intentionally or otherwise, and many of these appear to have become established as permanent members of the animal community.

The composition of the known invertebrate land and marine fauna is predominantly eastern Pacific in affinities. The evidence as to the origin of the sparse land snail fauna may be considered equivocal. Some authors consider their affinity to be with Indo-Pacific forms, others consider the relationship to be with American species. It is probable that some elements of the land snail fauna were derived from Central America, and some from Polynesia.

The most comprehensive study of the land plants of Cocos Island is by Stewart (1912). He reported that eight species, 8.69 per cent of 77 vascular plants, are endemic. Twenty-seven species also occur on the Galápagos Islands where the endemism was reported to be 40.9 per cent. Stewart (1912, pp. 381-383) believed that the flora is that of an oceanic island, of more recent origin than that of the Galápagos Islands, and that its flora was derived chiefly from the mainland by chance agencies such as winds, ocean currents, and migratory birds. He, furthermore, concluded that there is no evidence to indicate that the island ever was connected by land with the mainland or with the Galápagos Islands.

Svenson (1935, p. 259) following Johnston (1931, p. 35), mentioned that the flora of Cocos Island consists of about 100 species of which about 10 are endemic, consisting overwhelmingly of ferns, melanostomes, and orchids. He stated that with the exception of the ferns, virtually none of these species occur in the Galápagos Islands.

More recently Vinton (1951), in discussing a possible explanation for the derivation of the Galápagos fauna and flora, suggested a peninsula extending southwest from Costa Rica to within a hundred miles of the Galápagos Islands. He postulated that such a land area existed during Miocene time, and included the locality now occupied by Cocos Island (see his fig. 1). It was also his belief that such a land area would have deflected the currents at that time when an open seaway existed across Panama. He remarked on the recent origin of Cocos Island and suggested a probable Pleistocene age for it. He agreed in general with Stewart's opinion concerning derivation of the fauna and flora.

Schott (1931) published an excellent discussion concerning the shifting of oceanic currents, north and south, in the Panamic and northwestern




FIG. 3. Copy of illustration by Schott (1931, plate 20, figure 1) showing position of Cocos Island and the course of the equatorial countercurrent during August-September of a normal year.

South American region. He reported that this shift takes place about every seven years, and a decided displacement about every thirty-four years. The effect which this phenomenon produced upon the climatic and biological features in this region was described by Murphy (1936, pp. 102-108). Later Garth (1946) discussed the effect of this shifting of oceanic currents upon the composition of the brachyuran (erab) fauna of the Galápagos Islands. This same shifting of currents whereby Cocos Island is at times in the path of the Equatorial Countercurrent, and at other times under the influence of westwardly directed currents from off the mainland, can be invoked to explain the means of transportation by which the island received most of its invertebrate marine fauna.

The percentage of Indo-Pacific species in the invertebrate fauna of Cocos Island is small, except in the assemblage of corals and in those groups in which the species have an exceptionally wide distribution, such as the Holothurioidae. These species from the western Pacific may have reached the island by the agency of transpacific currents, directly, or conceivably by progressing eastward from one atoll to another or to truncated submarine islets (guyots) (see Ladd, 1960, pp. 143-145) which are known to exist in some places in the eastern Pacific.




FIG. 4. Copy of illustration by Schott (1931, plate 21, figure 3) showing position of Cocos Island and the course of the current westward from along the American mainland of Central America during March, 1891, a year of extreme displacement southward of the currents.

Very few species of invertebrates in the marine fauna of Cocos Island are identical with Caribbean or Atlantic forms but many closely related species occur in that region.

The following tabular summary indicating the distribution of the species of a few biologic categories (mostly those represented by a number of species), although based on lists which undoubtedly do not include all the species which may exist on the island, reveals the general interregional relationship of these groups. Additional collecting, especially in this and other tropical eastern Pacific islands where corals occur abundantly, may result in changes in the percentages of marine species shown in the various regions. I believe, however, that the general affinities of the fauna are revealed in this table. Additional remarks on the distribution and affinities of the phyla accompany the lists of species included under their respective categories in the following pages.

From the evidence of known distribution of the genera and species, I am inclined to agree with Stewart, Schmidt, and Vinton that the biota of Cocos Island was derived chiefly from the mainland, by the chance agencies of wind, ocean currents, birds, or pelagic mammals.

TABLE 1. Number and general distribution of species of particular groups of animals reported from Cocos Island.

	Number of Species	Endemic on Cocos Island	Mainland and Panamic Region	Galápagos Islands	Indo- Pacific	Caribbean- Atlantic
Foraminifera	17		14	13		1 Mediter- ranean
Coelenterata						
Hydrozoa	5		5	3		1
Anthozoa (corals)	18	1	12	10	10	1
Bryozoa	20		18	20	1	2
Echinodermata						
Asteroidea	6		4	5		
Ophiurioidea	15		15	12	1	
Echinoidea	13	1	12	10	1	
Holothurioidea	11		11	6	8	2
Mollusca						
Marine and						Many related species
Brackish-Water	88	5	74	38	5	
Land snails	9	7			1 or 2	
Annelida	9		4	4	1	1
Arthropoda						
(Crustacea)						
Brachyura	33		30	23	3	2
Anomura	17	2	11	10 (or 11)	4	1
Myriopoda	7	3	4			
Pisces	59	5	38	20	16	
Reptilia						
(lizards)	2	2	Related species			
Aves						
(land birds)	7	3	4			

ZOOLOGY

Phylum PROTOZOA

Class SARCODINA

Order **Foraminifera**

Ammodiscus pacificus Cushman and Valentine. Southern California to Panama; Galápagos Islands.

- Dentalina filiformis* d'Orbigny. Mainland; Galápagos Islands.
Dentalina cf. *D. jugosa* Williamson. Galápagos Islands. Monaco.
Eggerella advena Cushman. Cordova, Alaska, to Peru.
Haplophragmoides hancocki Cushman and McCulloch. Ketchikan, Alaska, to Peru; Galápagos Islands.
Lagena striatopunctata var. *excentricitas* Cushman and McCulloch. Galápagos Islands.
Nouria polymorphinoides Heron-Allen and Earland. West Mexico to South America; Galápagos Islands.
Reophar agglutinatus Cushman. Mainland; Galápagos Islands.
Reophar excentricus Cushman. Mainland; Galápagos Islands.
Textularia articulata d'Orbigny. Southern California to Sechura Bay, Peru.
Textularia conica d'Orbigny. Gulf of California to Colombia; Galápagos Islands.
Textularia corrugata Heron-Allen and Earland. Gulf of California to Ecuador; Galápagos Islands.
Textularia panamensis Cushman. Gulf of California to Peru.
Textularia schencki Cushman and Valentine. Southern California to Central America; Galápagos Islands.
Trochammina charlottensis Cushman. San Francisco, California, to Colombia; Galápagos Islands.
Trochammina nitida H. B. Brady. Cordova, Alaska, to Sechura, Peru.
Vaginulina exilis Cushman and McCulloch. Galápagos Islands.

These 17 species of foraminifera were reported from Cocos Island by Cushman and McCulloch (1939; 1950) and Lalicker and McCulloch (1940). Fourteen of these also occur on the mainland and 13 are reported from the Galápagos Islands.

Phylum COELENTERATA

Class HYDROZOA

The following species were reported from Cocos Island by Fraser (1938; 1948).

- Clytia cylindrica* A. Agassiz. Colombia to Peru; Galápagos Islands.
Gonothyraca gracilis Sars. Costa Rica to Peru; Galápagos Islands.
Halcidium washingtoni Nutting. California to Peru.
Obelia commissuralis McCrady. Mexico to Panama; Atlantic.
Thuriaria orisioides Lamouroux. Mexico to Colombia; Galápagos Islands.

These 5 species all live on the mainland coast, and 3 have been reported from the Galápagos Islands. This class probably is represented on Cocos Island by more species than shown in the present list assembled from only a cursory search in papers published by Fraser.

Class ANTHOZOA

Order Pennatulacea

Family Pennatulidae

Leioptilus undulatus Verrill [Boone (1933, pp. 16, 57, pl. 19) reported *Ptilosarcus gurneyi* Gray (not *P. gurneyi* Gray, 1860), from Cocos Island. Deichmann (1941a, p. 13) later referred this record to *Leioptilus undulatus*]. Magdalena Bay, Baja California, to the north end of the Gulf of California and south to Panama.

Order Scleractinia

(Corals)

The following species have been reported from Cocos Island by Durham and Barnard (1952) and Durham (1962). These, with their geographic ranges follow:

- Astrangia dentata* Verrill (Durham, 1962, pp. 45, 46, 52). La Paz, Baja California, to Panama.
- Astrangia hondaensis* Durham and Barnard (1952, p. 73; Durham, 1962, pp. 44, 46). Questionably from Cocos Island and the Galápagos Islands.
- Balanophyllia scheeri* Durham (1962, pp. 45, 46, 53). Known only from Cocos Island.
- Cladocera debilis* Milne Edwards and Haime (Durham and Barnard, 1952, p. 58; Durham, 1962, pp. 44, 46). Galápagos Islands; Atlantic.
- Cycloseris mexicana* Durham and Barnard (1952, p. 53; Durham, 1962, pp. 44, 46). Gulf of California to La Libertad, Ecuador; Galápagos Islands.
- Endopachys vaughani* Durham and Barnard (1952, p. 103; Durham, 1962, pp. 44, 46). Gulf of California; Galápagos Islands.
- Leptoseria digitata* Vaughan (Durham and Barnard, 1952, p. 36; Durham, 1962, pp. 44, 46). Questionably from Cocos Island; Gorgona Island, Colombia, to La Plata Island, Ecuador; Hawaiian Islands; Andaman Islands.
- Parona (Parona)* cf. *P. (P.) explanulata* Lamarek (Durham and Barnard, 1952, p. 42; Durham, 1962, pp. 44, 46). Clipperton Island; Indo-Pacific.
- Parona (Parona) varians* Verrill (Durham, 1962, pp. 45, 46, 50). Colombia; Hawaiian Islands; Great Barrier Reef; Red Sea.
- Parona (Polyastra) ponderosa* Gardiner (Durham, 1962, pp. 45, 46, 50). Bonin Islands; Maldive Islands.
- Pocillopora damicornis* Linnaeus (Durham, 1962, pp. 45, 46, 48). Panama; Galápagos Islands; to Indian Ocean.
- Pocillopora elegans* Dana (Durham, 1962, p. 45, 46, 48). Gulf of California to the Galápagos Islands; Indo-Pacific.

Pocillopora meandrina Dana (Durham, 1962, pp. 45, 46, 48). Gulf of California; Indo-Pacific.

Pocillopora verrucosa Ellis and Solander (Durham, 1962, pp. 45, 46, 48). Gulf of California; Galápagos Islands; Clipperton Island; to Indian Ocean.

Porites excavata Verrill (Durham, 1962, pp. 45, 46, 51). Panama.

Psammocora profundacella Gardiner (Durham, 1962, pp. 45, 46, 49). Galápagos Islands; Fanning Island; Funafuti Island.

Psammocora (Stephanaria) stellata Verrill (Durham and Barnard, 1952, p. 30; Durham, 1962, pp. 44, 45, 46, 49). Gulf of California to La Libertad, Ecuador; Galápagos Islands; Hawaiian Islands; Fiji.

Tabastrea tenuilamellosa Milne Edwards and Haime (Durham, 1962, pp. 45, 46, 54). Gulf of California to Panama; Galápagos Islands.

Eighteen³ species of corals (three identifications doubtful) have been reported from Cocos Island and of these fourteen are reef-building (hermatypic) forms. One species is known only from Cocos Island. Twelve species (one identification doubtful) live along the eastern Pacific mainland or in the Panamic province and 10 species (one identification doubtful) live in the Galápagos Islands. Ten species (two identifications doubtful) also live in Indo-Pacific waters. Only one of the 18 species occurs in Atlantic waters.

Phylum BRYOZOA

The following list of species of Bryozoa from Cocos Island, and their occurrence elsewhere, was generously furnished by Dr. John D. Soule.

These species are all from Allan Hancock Foundation sample number 328, Chatham Bay, Cocos Island, in 25.6 meters (14 fathoms), February 13, 1938. Three of these species, as indicated in the list, also were represented in Allan Hancock Foundation sample 330, Chatham Bay, Cocos Island, in 85.95 meters (47 fathoms), February 14, 1938.

A few species of Bryozoa from Cocos Island were mentioned by Osburn (1950; 1952).

Aplousina filum (Jullien), 1903. Previously reported from the Gulf of California; Cocos Island; Octavia Rocks, Colombia; Galápagos Islands.

Cellaria veleronis Osburn, 1950. Originally reported from the Galápagos Islands. This is the first record of its occurrence from Cocos Island.

Chaperiella condylata (Canu and Bassler), 1930. Common in the Galápagos Islands. It ranges from southern California to the Galápagos Islands. No prior record from Cocos Island.

Olcidochasma contracta (Waters), 1899. Previously reported from the

3. According to Dr. J. W. Durham (verbal communication, October 3, 1962), his record (1962, p. 51) of the occurrence of *Porites californica* Verrill from Cocos Island, is incorrect.

Galápagos Islands and the Gulf of California. No prior record from Cocos Island.

Colletosia radiata (Moll), 1803. Widely distributed from the cool temperate waters off Oregon to the Galápagos Islands. No prior record from Cocos Island.

Copidozoum tenuirostre (Hineks), 1880. Known from northern California to the Galápagos Islands. No prior record from Cocos Island. (Also present in sample 330.)

Crepidacantha poissoni (Audouin), 1826. Ranges from the Channel Islands, California, to the Galápagos Islands. No prior record from Cocos Island.

Crepidacantha setigera (Smitt), 1873. Previously reported from Cocos Island, Galápagos Islands and Florida.

Discoporella umbellata (Defrance), 1823. Common from Point Concepcion, California, to Point Santa Elena, Ecuador, including the Gulf of California, the coast of Costa Rica, and the Galápagos Islands.

Enantiosula manica Canu and Bassler, 1930. Reported from the Gulf of California, Cocos Island, and the Galápagos Islands. (Also present in sample 330.)

Holoporella brunnea (Hineks), 1884. Abundantly represented from off British Columbia to the Galápagos Islands. No prior record from Cocos Island. (Also present in sample 330.)

Micopora coriacea inarmata Soule, 1959. Common in the Gulf of California. Reported from the Galápagos Islands. No prior record from Cocos Island.

Microporella ciliata (Pallas), 1766. Common from the coast of Oregon to the Galápagos Islands. No prior record from Cocos Island.

Microporella marsupiata (Busk), 1860. Known from the Gulf of California and the Galápagos Islands. No prior record from Cocos Island.

Parrellisina curvirostris (Hineks), 1862. World wide in tropical and temperate waters. No prior record from Cocos Island.

Reptadeonella violacea (Johnston), 1847. Previously reported from the Gulf of California, coast of Mexico, Cocos Island, and Galápagos Islands.

Reteporellina denticulata gracilis Osburn, 1952. Recorded previously from the Gulf of California, Cocos Island, and the Galápagos Islands.

Retevirgula areolata (Canu and Bassler), 1923. Ranges from southern California to the Galápagos Islands. Common at the Galápagos Islands. No prior record from Cocos Island.

Trypostega venusta (Norman), 1864. Previously reported from the Gulf of California, the coast of Mexico, Cocos Island, and the Galápagos Islands.

Tubulipora flexuosa (Pourtales), 1867. Previously reported from the Gulf of California and the Galápagos Islands. No prior record from Cocos Island.

Eighteen of the 20 species in this list live along the mainland in tropical eastern Pacific waters. All are known to live in the Galápagos Islands, 9 in California waters, 2 in the Caribbean area one of which occurs world-wide in tropical and temperate waters.

Phylum BRACHIOPODA

Family Rhynchonellidae

Hispanirhynchia? craneana Dall [as *Hemithyris craneana* Dall, 1895, p. 717; 1920, p. 288; Hertlein and Grant, 1944, p. 60 as "*Hispanirhynchia* [?]" *craneana*].

This species was originally dredged off Cocos Island in 2149 meters (1,175 fathoms). It has not been reported elsewhere.

Phylum ECHINODERMATA

Class ASTEROIDEA

The following is a list of the species of Asteroidea from Cocos Island and their occurrence elsewhere. The records of species not previously reported from this island were furnished by Mr. Fred Ziesenhenné.

Coronaster marchenus Ziesenhenné (1942, p. 212). Galápagos Islands.

Linckia columbiæ Gray (Ziesenhenné, 1962, written communication). California to Peru; Galápagos Islands.

Narcissia gracilis A. H. Clark (Ziesenhenné, 1962, written communication). Gulf of California; Galápagos Islands.

Oreaster occidentalis Verrill (H. L. Clark, 1940, p. 333). Mexico to Peru; Socorro and Clarion Islands, Revillagigedo Islands; Galápagos Islands.

Pauliella aenigma Ludwig (Ziesenhenné, 1937, p. 215). Gulf of California to Panama; Clarion Island, Revillagigedo Islands.

Tamaria obstipa Ziesenhenné (1942, p. 209). Galápagos Islands.

Four of the 6 species of this class reported from Cocos Island also live along the mainland, 5 in the Galápagos Islands, and 2 in the Revillagigedo Islands.

Class OPHIURIOIDEA

The following brittle stars, with their known ranges, have been reported from Cocos Island. Records of those not previously reported from this island were generously furnished by Fred Ziesenhenné.

Amphiodia violacea Lütken (A. H. Clark, 1939, p. 2). Los Coronados Islands, off west coast of Baja California, Mexico, to Colombia (Ziesenhenné, 1963, written communication).

Diopederma danianum Verrill (H. L. Clark, 1940, p. 343). Baja California to Panama.

- Ophiacantha phragma* Ziesenhenne (1940, p. 12). Southern California to Ecuador; Galápagos Islands.
- Ophiactis savignyi* Müller and Troschel (Ziesenhenne, 1962, written communication). Mainland; Galápagos Islands; Clipperton Island; worldwide in tropical waters.
- Ophiactis simplex* LeConte (Ziesenhenne, 1962, written communication). California to Peru; Galápagos Islands.
- Ophiocoma aethiops* Lütken (H. L. Clark, 1940, p. 341). Baja California to Panama; Galápagos Islands.
- Ophiocoma alexandri* Lyman (H. L. Clark, 1940, p. 341). Baja California to Panama; Galápagos Islands.
- Ophioderma panamense* Lütken (H. L. Clark, 1940, p. 342; Ziesenhenne, 1955, p. 193). San Pedro, California, to Paíta, Peru; Guadalupe Island; Revillagigedo Islands; Galápagos Islands.
- Ophioderma variegatum* Lütken (H. L. Clark, 1940, p. 343; Ziesenhenne, 1955, p. 198). San Diego, California, to Panama; Revillagigedo Islands; Galápagos Islands.
- Ophiomyxa panamensis* Lütken and Mortensen (H. L. Clark, 1940, p. 336). Gulf of California to Panama; Galápagos Islands; Socorro Island, Revillagigedo Islands.
- Ophionereis dictyota* Ziesenhenne (1940, p. 30). Gulf of California, to Panama.
- Ophionereis nuda* Lütken and Mortensen (H. L. Clark, 1940, p. 340). Isabel Island, Mexico, to Panama; Galápagos Islands.
- Ophiophragmus marginatus* Lütken (Ziesenhenne, 1962, written communication). Mexico to Ecuador; Galápagos Islands.
- Ophiophragmus paucispinus* Nielsen (Ziesenhenne, 1962, written communication). Mexico to Costa Rica; Galápagos Islands.
- Sigsbeia lineata* Lütken and Mortensen (H. L. Clark, 1940, p. 336). Panama; Galápagos Islands.

Of the 15 brittle stars reported by H. L. Clark and by Ziesenhenne from Cocos Island, all also live in mainland waters, 12 in the Galápagos Islands, 3 in the Revillagigedo Islands, Mexico, and 1 in Indo-Pacific waters.

Class ECHINOIDEA

H. L. Clark (1940; 1948) recorded the occurrence of 13 species of echinoids from Cocos Island. These, with their recorded geographic ranges follow.

- Centrechinus* (= *Diadema*) *mericana* A. Agassiz (H. L. Clark, 1948, p. 235). Consag Roek, Gulf of California, to La Plata Island, Ecuador; Revillagigedo Islands; Galápagos Islands.

- Centrocidaris doederleini* A. Agassiz (H. L. Clark, 1948, p. 226). Galápagos Islands.
- Clypeaster ochrus* H. L. Clark (1947, p. 297). La Paz, Baja California, to Ecuador; Galápagos Islands.
- Clypeaster rotundus* A. Agassiz (H. L. Clark, 1948, p. 296). Georges Island, Gulf of California, to Santa Elena Bay, Ecuador; Revillagigedo Islands; Galápagos Islands.
- Clypeaster speciosus* Verrill (H. L. Clark, 1940, p. 350). Magdalena Bay, Baja California, and the Gulf of California; Revillagigedo Islands; Galápagos Islands.
- Echinometra van-brunti* A. Agassiz (H. L. Clark, 1940, p. 349; 1948, p. 294). Angel de la Guardia Island, Gulf of California, to San Francisco Bay, Ecuador; Revillagigedo Islands; Galápagos Islands.
- Encope cocoli* H. L. Clark [1948, p. 330; Mortensen (Monogr. Echin., IV.2. Clypeastroida, p. 448, 1948, as *Encope micropora cocoli*)]. Known only from Cocos Island.
- Eucidaris thouarsii* Valenciennes (H. L. Clark, 1940, p. 347; 1948, p. 229). Santa Catalina Island, California; Guadalupe Island, Baja California, and the Gulf of California to La Plata Island, Ecuador; Revillagigedo Islands; Galápagos Islands.
- Hesperocidaris panamensis* A. Agassiz (H. L. Clark, 1948, pp. 226, 131). Off Galera Point, Ecuador; Galápagos Islands.
- Lorenia cordiformis* A. Agassiz (H. L. Clark, 1940, p. 352; 1948, p. 348). Santa Barbara, California, and the Gulf of California to Guayaquil, Ecuador; Revillagigedo Islands; Galápagos Islands. Hawaiian Islands (Ziesenheim, 1937, p. 236).
- Lytechinus pictus* Verrill (H. L. Clark, 1940, p. 349). Monterey, California, to the Gulf of California.
- Meoma grandis* Gray (H. L. Clark, 1948, p. 344). Angeles Channel, Gulf of California, to Port Utria, Colombia; Revillagigedo Islands; Galápagos Islands.
- Plagiobrissus pacificus* H. L. Clark (1948, p. 342). Gulf of California to Panama Bay and questionably from La Plata Island, Ecuador.
- Of these 13 species, 1 is known only from Cocos Island. All the others are known to occur also in the waters of the mainland of the Panamic province. Six of these also occur in the Revillagigedo Islands and 10 occur at the Galápagos Islands. One has been reported from the Hawaiian Islands.

Class HOLOTHURIOIDEA

- Brantothuria arcnicola* Semper. Gulf of California to Ecuador; Galápagos Islands; Revillagigedo Islands; West Indies. Almost circumtropical.
- Brantothuria impatiens* Forskål. Cedros Island, Baja California, and Gulf

of California to Colombia; Galápagos Islands; Revillagigedo Islands; West Indies. Almost circumtropical.

Jaegerothuria inhabilis Selenka. Gulf of California to Ecuador; Galápagos Islands; Revillagigedo Islands; Hawaii to Australia.

Lessonothuria pardalis Selenka. Gulf of California to Colombia; Hawaii. Almost circumtropical but lacking in Atlantic and West Indies.

Ludwigothuria atra Jaeger. Galápagos Islands; Clipperton Island; Hawaii to Mozambique.

Ludwigothuria kefersteini Selenka. Mexico to Peru; Galápagos Islands; Revillagigedo Islands.

Microthele difficilis Semper. Gulf of California to Galápagos Islands; Clipperton Island; Australia; east coast of Africa to east coast of Pacific.

Psolus diomedae Ludwig. Gulf of California to Ecuador; Galápagos Islands.

Selenkothuria theeli Deichmann. Gulf of California to Zorritos, Peru; Galápagos Islands; Revillagigedo Islands.

Semperothuria imitans Ludwig. Gulf of California to Panama; Galápagos Islands; Revillagigedo Islands; Samoa.

Theelothuria paraprinceps Deichmann. Gulf of California to Panama; Clarion Island, Revillagigedo Islands.

These holothurians were reported from Cocos Island by Deichmann (1941b; 1958). All occur in the Panamic region and all except three also live in western Pacific waters. The percentage of these species reported from both the eastern Pacific and western Pacific waters is much greater than that of most classes of invertebrates recorded from Cocos Island. However, many species in this group of animals, especially the *Aspidochirota*, are widely distributed (see Deichmann, 1958, pp. 253, 277).

Phylum MOLLUSCA

Marine and Brackish-Water Mollusks

Class PELECYPODA

Arca (*Anadara*) *reinharti* Lowe [Rost, 1955, p. 227, as *Anadara* (*Scapharca*) *reinharti*.]

Cetoconcha scapha Dall (1902, p. 561). Off Cocos Island in 183 meters (100 fathoms).

Crenella divaricata d'Orbigny (Soot-Ryen, 1955, p. 130).

Isognomon (*Melina*) *chemnitzianum* d'Orbigny [Pilsbry and Vanatta, 1902, p. 559 (as *Perna chemnitzianum* d'Orb. (?); Dall, 1908, p. 437 (as *Melina chemnitziana*); Hertlein, 1932, p. 45 (as *Pedalion chemnitzianum*)].

- Isognomon quadrangularis* Reeve [von Martens, 1902b, p. 138 (as *Perna quadrangularis*); Pilsbry and Vanatta, 1902, p. 137 (as *Perna quadrangularis*); Biolley, 1907, p. 25 (as *Perna quadrangularis*)].
- Lithophaga attenuata* Deshayes (Bartsch and Rehder, 1939, p. 18).
- Lithophaga (Myofoveiceps) aristata* Dillwyn (Soot-Ryen, 1955, p. 141; Turner and Boss, 1962, p. 108).
- Ostrea palmula* Carpenter [von Martens, 1902b, p. 137 (as *Ostrea ochracea* Sowerby); Biolley, 1907 (as *Ostrea ochracea*); Hertlein, 1932, p. 45 (also cited as *Ostrea callichroa* Hanley)].
- Pecten (Pecten) sericeus* Hinds (Grau, 1959, p. 142).
- Pecten (Cyclopecten) cocosensis* Dall (1908, p. 405); Hertlein (1935, p. 319. Original locality only and pl. 18, figs. 7 and 8); Keen (1958, p. 72); Grau (1959, p. 30) (Dall's record).
- Pecten (Cyclopecten) exquisitus* Grau (1959, p. 36).
- Pecten (Oppenheimopecten) hancocki* Grau (1959, p. 155).

Class GASTROPODA

(Marine and Brackish-Water Forms)

- Acanthina brevidentata* Wood [von Martens, 1902b, p. 137 (as *Monoceros brevidentata*); Biolley, 1907, p. 21 (as *Monoceros brevidentatum*); Hertlein, 1932, p. 45].
- Acmaea (Nomacopelta) mesoleuca* Menke [von Martens, 1902b, p. 137 (as *Acmaea striata* Quoy and Gaimard); Pilsbry and Vanatta, 1902, p. 559 (as "*Scarria*" *mesoleuca*); Biolley, 1907, p. 26 (Record of Pilsbry and Vanatta (1902), also p. 24 (as *Acmaea striata*); Tomlin, 1928, p. 188 (as *Collisella mesoleuca*); Hertlein, 1932, p. 45 (as *Acmaea (Collisella) aeruginosa* Middendorff); Hertlein, 1937, p. 306 (von Marten's record (1902b) of *Acmaea striata* cited)].
- Acmaea strigatella* Carpenter (Pilsbry and Vanatta, 1902, p. 559).
- Bursa caelata* Broderip [von Martens, 1902b, p. 137 (as *Ranella caelata*); Biolley, 1907, p. 21 (as *Ranella caelata*)].
- Caducifer cinis* Reeve [von Martens, 1902b, p. 137 (as *Pollia cinis*); Pilsbry and Vanatta, 1902, p. 559 (as *Tritonidea cinis*); Biolley, 1907, p. 21 (as *Pollia cinis*); Keen (1958, p. 398, as *Caducifer thalia* Pilsbry and Lowe).]
- Cantharus (Gemmophos) gemmatus* Reeve [Hertlein, 1932, p. 45 (as *Cantharus gemmatus*)].
- Cantharus sanguinolentus* Duclou [von Martens, 1902b, p. 137 (as "*Pollia sanguinolenta* Duclou 1832 = *haemastoma* Gray, 1839"); Pilsbry and Vanatta, 1902, p. 559 (as *Tritonidea sanguinolenta*); Biolley, 1907, p. 21 (as *Pollia sanguinolenta*)].

- Cerithium adustum* Kiener (von Martens, 1902b, p. 137; Biolley, 1907, p. 22; Hertlein, 1932, p. 45.)
- Cerithium maculosum* Kiener (Pilsbry and Vanatta, 1902, p. 559; Dall, 1908, p. 437).
- Conus brunneus* Wood (von Martens, 1902b, p. 137; Biolley, 1907, p. 20; Tomlin, 1927, p. 155; Hanna and Strong, 1949, p. 269).
- Conus dalli* Stearns (Hertlein, 1932, p. 45; Hertlein, 1937, p. 306; Hanna and Strong, 1949, p. 305).
- Conus gladiator* Broderip (Calif. Acad. Sci. Coll., W. H. Ochsner collector, 1905).
- Conus recurvus* Broderip [Dall, 1910, p. 225 (as *Conus scariphus* Dall); Hanna and Strong, 1949, p. 280 (*Conus scariphus* in synonymy)].
- Conus tiaratus* Broderip (Hertlein, 1932, p. 45; Hanna and Strong, 1949, p. 272).
- Cymatium vestitum* Hinds (Hertlein, 1932, p. 45).
- Cypraea isabella mexicana* Stearns [von Martens, 1902b, p. 137 (as *Cypraea* "wahrscheinlich" *isabella* Linnaeus); Biolley, 1907, p. 21 ("?"); Schilder and Schilder, 1938, pp. 176, 197 (as *Cypraea controversa mexicana*); Demond, 1957, p. 304 (as *Cypraea (Luria) isabella*)].
- Cypraea moneta* Linnaeus [Hertlein, 1932, p. 45; Hertlein, 1937, p. 307; Ingram, 1947a, pp. 58 (16), 74 (32); Ingram, 1947b, p. 147 (11); Ingram, 1948, p. 140; Ingram, 1951, p. 152 (28); Demond, 1957, p. 304 (as *Cypraea (monetaria) moneta*)].
- Cypraea rashleighana* Melvill [Ingram, 1945, p. 106; 1947a, p. 76 (34); 1947b, p. 148 (12); 1951, p. 155 (31)].
- Ellobium stagnalis* d'Orbigny [Biolley, 1907, p. 19 (as *Auricula (?) stagnalis*); Hanna and Hertlein, 1938, p. 32 (as *Auricula stagnalis*)].
- Fissurella virescens* Sowerby (von Martens, 1902b, p. 137; Pilsbry and Vanatta, 1902, p. 559; Biolley, 1907, p. 23; Tomlin, 1928, p. 188; Hertlein, 1932, p. 45).
- Harpa crenata* Swainson (Hertlein, 1932, p. 45).
- Hipponix grayanus* Menke [Pilsbry and Vanatta, 1902, p. 559 (as *Amalthea grayana*); Biolley, 1907, p. 23; Hertlein, 1932, p. 45 "cf."].
- Hipponix pilosus* Deshayes [von Martens, 1902b, p. 137 (as *Hipponix* perhaps *barbatus* Quoy and Gaimard)].
- Latirus tuberculatus* Broderip (Dall, 1908, p. 436; Hertlein, 1932, p. 45).
- Littorina aspersa* Philippi [von Martens, 1902b, p. 137 (as *Littorina aspera*); Biolley, 1907, p. 23 (as *Littorina aspersa*); Hertlein, 1932, p. 45].
- Littorina conspersa* Philippi [von Martens, 1902b, p. 137; Biolley, 1907, p. 21; Dall, 1908, p. 437 (also, Malpelo Id.); Hertlein, 1932, p. 45].
- Littorina modesta* Philippi (Tomlin, 1927, p. 168). [Keen (1958, p. 282) pointed out that this species "has been cited from the Panamic province,

- but it seems an indeterminate form with a type locality in Alaska.”]
- Marginella minor* C. B. Adams (Bartsch and Rehder, 1939, p. 18).
- Melampus tabogensis* C. B. Adams [Dall, 1896, p. 452 (as *Tralia panamensis* C. B. Adams); Dall, 1900, p. 97 (as *Melampus panamensis*); von Martens, 1900, p. 561 (Dall's record (1900) cited; von Martens, 1902b, p. 137 (as *Melampus tabogensis*); Dall, 1908, p. 436 (as *Melampus panamensis*); Morrison, 1946, p. 36)].
- Melampus trilineatus* C. B. Adams (Hanna and Hertlein, 1938, p. 134).
- Mitra fultoni* E. A. Smith [(Calif. Acad. Sci. Coll., W. H. Oehsner collector, 1905; Sphon, 1961, pp. 34, 35)].
- Mitra lens* Wood [Dall, 1908, p. 436].
- Mitra tristis* Swainson (Stanford Univ. Coll.).
- Mitrella ocellata* Gmelin [Pilsbry and Vanatta, 1902, p. 559 (as *Columbella cribraria* Lamarek); Biolley, 1907, p. 26 (record of Pilsbry and Vanatta, (1902))].
- Murex humilis* Broderip (Dall, 1908, p. 436).
- Nerita funiculata* Menke [von Martens, 1902b, p. 137 (as *Nerita bernhardi* Recluz); Pilsbry and Vanatta, 1902, p. 559 (as *Nerita fulgurans bernhardi* Recluz); Biolley, 1907, p. 23 (as *Nerita bernhardi*); Hertlein, 1932, p. 45 (as *Nerita bernhardi*)].
- Nerita ornata* Sowerby [von Martens, 1902b, p. 137; Biolley, 1907, p. 23; Dall, 1908, p. 437 (as *Nerita scabricosta* Lamarek); Hertlein, 1932, p. 45 (as *Nerita scabricosta* var. *ornata*)].
- Neritina pilsbryi* Tryon [Biolley, 1907, p. 18 (as *Neritina latissima* Broderip var. *globosa* Broderip); Hertlein, 1902, p. 45].
- Nitidella sertularium* Orb.? (Tomlin, 1927, p. 162). [Record probably incorrect. A Patagonian species].
- Olivella (Olivella) coccosensis* Olsson (1956, p. 180; Keen, 1958, p. 424).
- Phos coccosensis* Dall (Dall, 1917, p. 578; Strong and Lowe, 1936, p. 310; Keen, 1958, p. 406.)
- Planaxis planaxis* Wood (Dall, 1908, p. 436).
- Planaxis planicostatum* Sowerby [von Martens, 1902b, p. 137 (as *Planaxis planicostatus*); Pilsbry and Vanatta, 1902, p. 559 (as *Planaxis planicostatus*); Biolley, 1907, p. 21 (as *Planaxis planicostatus*); Tomlin, 1927, p. 168; Hertlein, 1932, p. 45].
- Polinices helicoides* Gray [Tomlin, 1927, p. 170 (as *Polinices glabella* Reeve)].
- Purpura patula pansa* Gould [von Martens, 1902b, p. 137 (as *Purpura patula* Linnaeus); p. 140 (as “*Purpura patula* L. (*pansa* Conr.)”; Pilsbry and Vanatta, 1902, p. 559 (as *Purpura patula*); Biolley, 1907, p. 21 (as *Purpura patula*); Dall, 1908, p. 436 (as *Thais patula*); Tomlin,

- 1928, p. 163 (as *Thais patula*); Hertlein, 1932, p. 45 (as *Thais patula*).
- Pyrene labiosa* Sowerby [Pilsbry and Vanatta, 1902, p. 559 (as *Columbella labrosa*); Biolley, 1907, p. 26 (as *Columbella labrosa*, record of Pilsbry and Vanatta)].
- Siphonariu gigas* Sowerby (Dall, 1896, p. 453; Dall, 1900, p. 97; von Martens, 1902b, p. 137; Pilsbry and Vanatta, 1902, p. 559; Biolley, 1907, p. 25; Dall, 1908, p. 436; Dall, 1909, p. 205; Hertlein, 1932, p. 45).
- Siphonaria gigas* var. *characteristica* Reeve [Tomlin, 1927, p. 154 (as *Siphonaria characteristica*); Hertlein, 1932, p. 45.]
- Tegula cooksoni* E. A. Smith (Tomlin, 1928, p. 187; also Calif. Acad. Sci. Coll., W. H. Ochsner collector, 1905).
- Tegula maculostriata* C. B. Adams [Pilsbry and Vanatta, 1902, p. 559 (as *Chlorostoma maculostriatum* C. B. Adams); Biolley, 1907, p. 26 (record of Pilsbry and Vanatta cited)]. [The type locality of *T. maculostriata* is Jamaica. The specimens so identified by Pilsbry and Vanatta from Cocos Island resemble the illustration of the type specimen published by Clench and Turner (Occasional Papers on Mollusks, Department of Mollusks, Museum of Comparative Zoölogy at Harvard College, Vol. 1, No. 15, p. 305, pl. 39, fig. 13). The spire is higher and the sculpture coarser than that of *T. cooksoni* E. A. Smith].
- Tegula gallina multiflora* Stearns [Pilsbry and Vanatta, 1902, p. 559 (as *Chlorostoma gallinum multifilosum*); Biolley, 1907, p. 26 (as *Chlorostoma gallinum multifilosum*, record of Pilsbry and Vanatta cited)]. [Record from Cocos Island doubtful. Not known with certainty south of Baja California].
- Thais columellaris* Lamarek [von Martens, 1902b, p. 137 (as *Purpura columellaris*); Pilsbry and Vanatta, 1902, p. 559 (as *Purpura columellaris*); Biolley, 1907, p. 21 (as *Purpura columellaris*); Dall, 1908, p. 437; Hertlein, 1932, p. 45)].
- Thais haemastoma biserialis* Blainville [Hertlein, 1932, p. 45 (as *Thais biserialis*)].
- Thais (Vasula) melones* Duclos [von Martens, 1902b, p. 137 (as *Purpura melo*); Pilsbry and Vanatta, 1902, p. 559 (as *Purpura melones*); Biolley, 1907, p. 21 (as *Purpura melones*); Dall, 1908, p. 436 (as *Thais melones*); Hertlein, 1932, p. 45 (as *Thais crassa* Blainville)].
- Thais speciosa* Valenciennes (Calif. Acad. Sci. Coll., W. H. Ochsner, collector, 1905).
- Thais triangularis* Blainville (Calif. Acad. Sci. Coll., W. H. Ochsner, collector, 1905).
- Trivia pacifica* Gray (Tomlin, 1927, p. 166.)
- Vermetus* sp. (von Martens, 1902b, p. 137; Biolley, 1907, p. 25).

(Land Forms)

Habroconus (Cocosconus) hopkinsi Dall (Baker, 1941, p. 225).

Habroconus (Pseudoguppya) pacificus Pfeiffer (Baker, 1941, p. 226).

Habroconus (Cocoslens) pallidus H. B. Baker (1941, p. 224).

Leptinaria biolleyi von Martens (Hanna and Hertlein, 1938, p. 128).

Nesopupa (Cocopupa) cocosensis Dall (Hanna and Hertlein, 1938, p. 129).

Ochrodermella biolleyi von Martens (Hanna and Hertlein, 1938, p. 127).

Ochrodermella cumingiana Pfeiffer (Hanna and Hertlein, 1938, p. 125).

Opeas gracile Hutton (Hanna and Hertlein, 1938, p. 130).

Succinea globispira von Martens (Hanna and Hertlein, 1938, p. 129).

The land snails from Cocos Island have been discussed in a paper by Hanna and Hertlein (1938) who have summarized the literature pertaining to them. Baker (1941, pp. 223-226) later made changes in the nomenclature of some of the species.

Of the 9 species reported from Cocos Island, *Opeas gracile* Hutton is widely distributed over the Indo-Pacific region and evidently is an introduced species. It also is possible that the species of *Leptinaria* may have arrived on the island adventitiously. The other 7 species, known only from Cocos Island, belong to the genera *Habroconus*, *Nesopupa*, *Ochrodermella*, and *Succinea*. Kobelt (1899) and Hanna and Hertlein (1938) suggested Indo-Pacific affinities of the endemic species of these genera on Cocos Island. Germain (1934, p. 153), remarked on the small number of species, the absence of *Bulimulus*, and the fact that *Ochrodermella* also occurs in the Caroline Islands. Baker (1941, p. 352) believes that the affinities of the land snails from Cocos Island are with species on the American mainland. It appears probable that some elements of the land snail fauna were derived from the eastern Pacific and others from Polynesia.

For additional information concerning these land snails seeANCEY (1903); BAKER (1945); BIOLLEY (1907; 1908-1909); DALL (1896; 1900); GUDE (1903); VON MARTENS (1890-1901; 1898; 1902a); PILSBRY and COOKE (1920).

Order Pteropoda

Limacina inflata d'Orbigny (Howard, 1952, p. 13).

Creseus virgula Rang (Howard, 1952, p. 13).

Diacria quadridentata parva Howard (1952, p. 13).

Carolina longirostris constricta Howard (1952, p. 13).

Class AMPHINEURA

Acanthochiton hirudiniformis Sowerby.

(*Chiton stokesi*): BIOLLEY, 1907, p. 24 (as *Chiton (Radsia) stokesi*): DALL, *Chiton (Chiton) stokesii* Broderip [PILSBRY and VANATTA, 1902, p. 559 (as

- 1908, p. 436 (as *Chiton stokesii*); Tomlin, 1927, p. 154 (as *Chiton stokesii*); Leloup, 1956, p. 246.]
Chiton (Radsia) goodallii Broderip [von Martens, 1902b, p. 137 (as *Chiton (Radsia) goodallii*); Boone, 1933, p. 24 (as *Chiton (Chiton) goodallii*), p. 201 (as *Chiton goodallii*)].
Placiphorella blainvillei Broderip (Dall, 1908, p. 357; Dall, 1909, p. 246).

Class CEPHALOPODA

- Abraliopsis hoylei* Pfeffer (Robson, 1948, p. 118).
Argonauta expansa Dall (Robson, 1932, p. 197, in synonymy of *Argonauta cornuta* Conrad, 1854, p. 332. Not *Argonauta cornutus* Bose, Hist. Nat. des Coquilles, vol. 3, p. 262, AN X[1802]).
Helicocranchia beebei Robson (1948, p. 130).
Liocranchia reinhardtii Steenstrup (Robson, 1948, p. 128).
Melanoteuthis beebei Robson (1932, p. 103).
Octopus (Octopus) pusillus Gould [Dall, 1909, p. 194 (as *Polypus pusillus*); Robson, 1929, p. 150].
Octopodoteuthis nielsenii Robson (1948, p. 120).
Onykia (Teleoteuthis, Auctt.) sp. (Robson, 1948, p. 121).
Polypus januarii Hoyle (Dall, 1909, p. 194). [Locality records from the Pacific doubtful according to Robson, 1932, pp. 235, 240. Type locality northeast Brazil].
Pyroteuthis giardi Fischer (Robson, 1948, p. 118).
(?) *Sthenoteuthis* sp. (*Rhynchoteuthis* stage) (Robson, 1948, p. 125).
Symplectoteuthis oulaniensis Lesson (Dall, 1909, p. 195; Berry, 1912, p. 304; Robson, 1948, p. 127).
Taonidium pacificum Robson (1948, p. 130).

One of the earliest references in which the occurrence of marine mollusks at Cocos Island is mentioned is that by Colnett (1798, p. 71) who stated "Shell-fish, were scarce, though we collected some very large limpets, of a new kind, and a few dead conches. The latter were seen in great numbers on the beach, and mostly inhabited by the *Diogenes erab*." It seems possible that the large limpets mentioned by Colnett might be referable to *Siphonaria gigas* Sowerby or *S. gigas characteristic* Reeve which occur abundantly at some places on this Island.

The identification of some of the species in the present paper, based upon records taken from the literature, may be doubtful, but the general composition of the assemblage is in harmony with other island molluscan faunas (except that of Clipperton Island) in the eastern Pacific. Further collecting on Cocos Island would undoubtedly yield additional species. I believe, however, that the general composition represented by the present list is representative of the marine molluscan fauna of this Island.

The present list contains 88 species and subspecies (3 species identified only as to genus, not included in this number) arranged as follows: Pelecypoda 12, Gastropoda 57, Pteropoda 4, Amphineura 4, Cephalopoda 11. Of the total only 4 species, 3 pelecypods and 2 cephalopods, described from or near Cocos Island, have not been reported elsewhere. All but 14 species have been reported occurring on or near the mainland. At least 38 species listed here also have been reported from the Galápagos Islands and at least 33 species occur in the Gulf of California. Two gastropods, belonging to the genus *Cypraca*, and 3 cephalopods, also have been reported from Indo-Pacific waters.

The 4 species of pteropods reported from Cocos Island by Howard (1952, p. 13) also occur at other localities in the eastern Pacific.

The marine molluscan fauna of Cocos Island contrasts decidedly with that of Clipperton Island where nearly 50 per cent of the species are Indo-Pacific forms or have affinities with species in the central or western Pacific (see Hertlein and Emerson, 1953; 1957).

Phylum ANNELIDA

Chloëia entypa Chamberlin (Hartman, 1939a, p. 3). Southern California to Panama.

Chloëia viridis Schmarda (Hartman, 1940, pp. 190, 205. Also cited from Cocos Island as *C. euglochis* Ehlers by Treadwell, 1928, p. 450). Gulf of California to Panama and the Galápagos Islands; West Indies.

Eusigalion spinosum Hartman (1939b, pp. 10, 17, 59). Farallon Islands, California, to Cocos Island, and the Galápagos Islands.

Lepidonotus furcillatus Ehlers (Hartman, 1939b, p. 16). Cited from Cocos Island on page 16 but on page 2 cited from Wreck Bay, Chatham Island, Galápagos Islands.

Nerine cirratulus hirsutus Treadwell (1928, p. 479, as *Spio hirsuta*); Hartman (1959, p. 390). Known only from Cocos Island.

Notopygos crinita Grube (Treadwell, 1928, p. 450). St. Helena Island.

Perinereis helleri Grube (Cited from Cocos Island as *Neanthes obscura* Treadwell, 1928, p. 472). Philippine Islands.

Psammostyce spinosa Hartman (1939b, pp. 10, 17, 74). Clarion Island, Revillagigedo Islands, Mexico.

Sthenelais fusca Johnson (Hartman, 1939b, pp. 10, 17, 61). Washington to Panama and the Galápagos Islands.

A few species of this group have been reported from Cocos Island by Treadwell (1928) and Hartman (1939a, 1939b, 1940). All except two of these have also been reported from mainland waters. The nomenclature followed here is that of Hartman (1959).

Phylum ARTHROPODA

Class CRUSTACEA

Subclass COPEPODA

Gloiopotes ornatus Wilson.

Pennella instructa Wilson.

These two species, parasites on a sailfish, were reported from off Chatham Bay, Cocos Island by Schmitt (1939b, p. 27).

Subclass CIRRIPEIDIA

Conchoderma, "very probably *C. virgatum* (Spengler)" (Schmitt, 1939b, p. 27). Attached to a copepod, *Pennella instructa* Wilson (with sucker fish, *Echeneis remora* Linnaeus), taken from a sailfish from off Chatham Bay, Cocos Island.

Tetracilita squamosa Bruguière [von Martens, 1902b, p. 138, (as *Tetracilita* (type. error) *porosa* Gmelin)]. World-wide in tropical and subtropical seas (see Pilsbry, 1916, U. S. Nat. Mus., Bull. 93, p. 249).

Tetracilita squamosa milleporosa Pilsbry (Hertlein, 1932, p. 45). Originally described from Albemarle Island, Galápagos Islands (Pilsbry, 1916, U. S. Nat. Mus., Bull. 93, p. 257).

Subclass MALACOSTRACA

Order Amphipoda

Podoceropsis dubia Shoemaker (1942, p. 32, fig. 12). Originally described from Chatham Bay, Cocos Island.

Talorchestia fritzi Stebbing (1903, p. 928). Originally described from Cocos Island.

Order Decapoda

Brachyura

Dr. John Garth furnished the following list of species of spider crabs from Cocos Island:

Family Majidae

Euprognatha bifida Rathbun. Mainland.

Euprognatha granulata Faxon. Mainland; Galápagos Islands.

Herbstia tumida (Stimpson). Mainland.

Inachoides laevis Stimpson. Mainland.

Lissa aurivilliusi Rathbun. Mainland; Galápagos Islands.

Lissa tuberosa Rathbun. Mainland.

Microphrys branchialis Rathbun. Mainland.
Microphrys triangulatus Lockington. Mainland; Galápagos Islands.
Mithrax (Mithrax) spinipes (Bell). Mainland; Galápagos Islands.
Podochela hemphilli (Lockington). Mainland.
Sphenocarcinus agassizi Rathbun. Mainland; Galápagos Islands.
Stenocionops orata (Bell). Mainland; Galápagos Islands.
Stenorhynchus debilis Smith. Mainland; Galápagos Islands.
Teleophrys cristulipes (Stimpson). Mainland; Galápagos Islands.

Family **Parthenopidae**

Thyrolambrus glasselli Garth (formerly known as *T. erosus* Rathbun). Mainland.

According to Dr. Garth, all these species also occur on the mainland and none is found in the Indo-Pacific. He stated: "The only semi-endemics among the brachyurans that I recall are *Euprognatha granulata* Faxon, shared with the Galápagos Islands, and *Portunus (Achelous) brevimanus* (Faxon) (family Portunidae), shared with the Revillagigedo Islands."

The following records of Brachyuran crabs from Cocos Island, with their general distribution, are taken from Boone, Rathbun, and others.

Family **Majidae**

Mithrax (Mithraculus) denticulatus Bell. Mainland; Galápagos Islands.
Paradasygius depressus Bell (Garth, 1958, p. 81). Mainland.

Family **Parthenopidae**

Partheuope (Platylambrus) exilipes Rathbun. Mainland; Galápagos Islands.

Family **Portunidae**

Portunus (Achelous) brevimanus Faxon. Cocos Island, type locality; Revillagigedo Islands.

Family **Xanthidae**

Carpilodes cinctimanus White. Galápagos Islands. [According to Rathbun (U. S. Nat. Mus., Bull. 152, p. 242, 1930), *Liomeria cocosana* Boone, type locality, Cocos Island, is a synonym of *C. cinctimanus*].
Eriphia squamata Stimpson. Mainland; Galápagos Islands. [According to Garth (Allan Hancock Pacific Expeditions, Vol. 5, No. 10, p. 486, 1946) Boone's record (1927) of *Eriphia granulosa* A. Milne Edwards from Cocos Island is referable to *E. squamata*].

Leptodius cooksoni Miers. Galápagos Islands; Clarion Island, Revillagigedo Islands. [According to Glassell (Trans. San Diego Soc. Nat. Hist., vol. 7, no. 38, p. 453, 1934), Boone's record (1927) of *Xanthodius lobatus* A. Milne Edwards, a female from Cocos Island, is based on a young specimen of *Leptodius cooksoni*].

Micropanope polita Rathbun [1902, p. 281 (as *Xanthius politus*)]. Gulf of California; mainland; Galápagos Islands.

Ozius tenuidactylus Lockington [Boone (1927, p. 225) as *Ozius agassizii* A. Milne Edwards, a species now believed to be a synonym of *Ozius tenuidactylus* Lockington (see Glassell, Trans. San Diego Soc. Nat. Hist., vol. 8, no. 14, p. 104, 1935, as *Ozius tenuidactylos*)]. Mainland; Galápagos Islands.

Ozius verreauxii de Saussure. Mainland; Galápagos Islands.

Trapezia cymodoce ferruginea Latreille. Mainland; Galápagos Islands; Indo-Pacific.

Family Grapsidae

Grapsus grapsus Linnaeus. Mainland (east and west coasts); Galápagos Islands. [According to Dr. Garth (written communication), Boone's record (1927) of *Pachygrapsus crassipes* Randall from Cocos Island, was based upon a young specimen of *Grapsus grapsus*].

Pachygrapsus transversus Gibbes. Mainland (east and west coasts); Galápagos Islands.

Plagusia immaculata Lamarek. Mainland; Galápagos Islands; Indo-Pacific [Also recorded from Cocos Island by Garth (Allan Hancock Pacific Expeditions, vol. 5, no. 10, p. 512, 1946)].

Planes cyanea Dana. 60 miles south of Cocos Island; mainland; Galápagos Islands; Indo-Pacific. [According to Chace (Proc. U. S. Nat. Mus., vol. 101, no. 3272, p. 70 et seq., 1950), records of *Planes minutus* Linnaeus (such as that of Boone, 1927) from the eastern Pacific are referable to *P. cyanea*].

Family Gecarcinidae

Cardiosoma crassum Smith (Schmitt, 1939b, p. 27). A land crab. San José, Baja California, Mexico, to the mouth of the Tumbes River, Peru.

Family Ocypodidae

Uca panamensis Stimpson. Mainland; Galápagos Islands. [According to Crane (Zoologica, New York Zool. Soc., vol. 26, pp. 205, and 178, 1941, respectively), Boone's record of *Uca galapagensis* Rathbun, based upon a female from Cocos Island, is now referable to *U. panamensis*, and her

record of *U. galapagensis*, a male, from the Galápagos Islands, is referable to *U. macrodactyla* Milne Edwards and Lucas].

Family **Calappidae**

Calappa convexa de Saussure. Mainland; Galápagos Islands.

Anomura

Miss Janet Haig furnished the following list (supplemented by three species by Boone, 1932) of Anomuran crabs from Cocos Island with their occurrences elsewhere.

Family **Coenobitidae**

Coenobita compressus H. Milne Edwards. Mainland; Galápagos; Indo-Pacific.

Family **Paguridae**

Pagurus californicus Benedict (Boone, 1932, p. 9). Mainland; Galápagos Islands.

Calcinus explorator Boone (1932, p. 22; Chace, 1962, p. 624). Galápagos Islands.

Pylopagurus hirtimanus Faxon. Galápagos Islands.

Pylopagurus longimanus Faxon. Known only from Cocos Island.

Family **Porcellanidae**

Petrolisthes cocoensis Haig (1960, p. 117). Cocos Island, probably endemic.

Petrolisthes edwardsii de Saussure. Mainland.

Petrolisthes marginatus Stimpson. Mainland.

Petrolisthes ortmanni Nobili. Mainland.

Petrolisthes tonsorius Haig. Mainland.

Family **Hippidae**

Hippa denticulatifrons Miers (Boone, 1932, p. 58). Galápagos Islands; Indo-Pacific.

To these may be added the following Macruran forms:

Family **Palaemonidae**

Brachycarpus biunguiculatus Lucas (Holthuis, 1952, pp. 6, 7). Gulf of California to Colombia; East and West Americas; Galápagos Islands; Mediterranean; Indo-Pacific.

Macrobranchium americanum Bate (Holthuis, 1952, pp. 130, 131, 132. Also cited from Cocos Island as *M. jamaicense* Herbst by Beebe, 1926, p. 435,

and by Boone, 1930, pp. 20, 146). Baja California to Peru; Galápagos Islands.

Macrobranchium hancocki Holthuis (1952, pp. 112, 113. Also cited from Cocos Island as *M. olfersii* Wiegmann by Beebe, 1926, p. 435, and Boone, 1930, pp. 20, 143). Costa Rica to Colombia; Galápagos Islands.

Palacmon (Palacmon) ritteri Holmes, Holthuis (1952, pp. 175, 176, 177). San Diego, California, to Paita, Peru; Galápagos Islands.

Family Palinuridae

Panulirus gracilis Streets (Holthuis and Villalobos, 1961, p. 254). Gulf of California to Paita, Peru; ?Galápagos Islands.

Panulirus penicillatus Olivier (Chace, 1962, p. 617). Galápagos Islands; Socorro Island, Revillagigedo Islands; Hawaiian Islands; Tuamotu Islands; Red Sea to South Africa.

From an inspection of the ranges of the species in the foregoing lists, it is obvious that the affinities of the species are with those of the mainland and the Galápagos Islands.

Fifty species of brachyuran, anomuran and macruran (shrimp-like) crustaceans are here listed from Cocos Island but additional species are known to occur there. Of the 50 species, two are endemic, 41 occur on the mainland, 33 (or 34) at the Galápagos Islands, seven in Indo-Pacific waters and three (or four) in Atlantic waters.

Authors who have published papers which include crabs and shrimps occurring at Cocos Island include: Boone (1927; 1930a; 1930b; 1932); Chace (1962); Faxon (1893; 1895, list pp. 257-258); Garth (1946; 1958); Haig (1960); Holthuis (1952); Holthuis and Villalobos (1961); Rathbun (1902; 1930); Schmitt (1939b).

Class MYRIOPODA

Newportia rogersi Pocock. Mainland.

Otocryptops melanostoma Newport. Mainland.

Ostostigmus scabricauda Humbert and Saussure. Mainland.

Epinannolene pittieri Brölemann. Cocos Island only.

Leptodesmus folium Brölemann. Cocos Island only.

Orthomorpha coarctata Saussure. Cocos Island only.

Rhinocricus (Eurhinocricus) biolleyi Brölemann. Mainland.

Seven species of Myriopoda have been reported from Cocos Island by Brölemann (1903; 1905). Of these, 3 chilopods and 1 diplopod also occur on the mainland, and 3 diplopods are reported only from Cocos Island.

Class INSECTA

A few members of this class from Cocos Island noticed in the literature are mentioned here.

Arrhinotermes oceanicus Wasmann (1902, p. 139). A termite.

Eutermes sp. (prope *ripperti* Rambur) (Wasmann, 1902, p. 139). A termite.

Kalotermes (*Neotermes*) *larseni* Light (1935, p. 239). A termite. Known only from Cocos Island. Said to be related to *Neotermes castaneus* Burmeister which occurs in the American tropics.

Leucotermes insularis Wasmann (1902, pp. 139, 140). A termite.

Historis odius Fabricius. Cited as *Histrio* probably *odius* by Williams, (1911, p. 296). *Histrio orion* Fabricius, now believed to be a synonym, also was reported from Cocos Island by Beebe (1926, p. 436). This butterfly ranges throughout the American tropics.

Herse cingulata Fabricius [Williams, 1911, p. 317 (as *Phlegathontius cingulata*)]. This hawk-moth is wide spread in the American tropics and also occurs in the Galápagos Islands.

Leucomelina pica Macquart (Coquillett, 1901, p. 375). This little fly is abundant on Cocos Island at least at certain times in the year. It was originally described from Brazil and the American tropics.

Cicada sp. (Heidemann, 1901, p. 370). One species of cicada has been reported from Cocos Island.

Odynerus (*Pachodynerus*) *nasidens* Latreille (Williams, 1926, p. 349). Williams reported this wasp from Cocos Island.

Popilius lenzi Kuwert (1897, p. 301; van Doesburg, 1953, p. 203). This beetle was described from Cocos Island. Its affinities are with species on the mainland.

Collenette (1926, p. 234) mentioned collecting a "longicorn beetle" and "lady-birds" on Cocos Island. He also mentioned (p. 231) seeing an insect there resembling *Agraulis vanillae* Linnaeus (a widely distributed species) from the Galápagos Islands.

Order Hymenoptera

Attu cephalotes Linnaeus* (Forel, 1908, p. 40; Emery, 1919, p. 40).

Azteca emmae Forel* (1908, p. 62; Emery, 1919, p. 40).

Brachymyrmex longicornis Forel* (1909, p. 64; Emery, 1919, p. 40).

Camponotus (*Myrmotherix*) *abdominalis stercorarius* Forel* (1908, p. 71; Emery, 1919, p. 40).

Camponotus (*Myrmobrachys*) *biolleyi* Forel [Forel, 1902, p. 177 (as *Camponotus biolleyi*); Wheeler, 1919, pp. 301, 305; Emery, 1919, p. 40].

Camponotus (*Myrmobrachys*) *blandus* F. Smith* [Forel, 1908, p. 72; Emery, 1919, p. 40, as *Camponotus* (*Myrmocamelus*) *blandus*].

Camponotus (Myrmaphaenus) cocosensis Wheeler (1919, pp. 301, 305; 1933, p. 61).

Cryptocerus cristatus Emery (1919, p. 40).

Cyphomyrma rimosus slavini Forel* (Forel, 1908, p. 43; Emery, 1919, p. 40).

Eciton (Labidus) crassicornis F. Smith (Emery, 1919, p. 40).

Euponera (Trachymesopus) stigma Fabricius (Wheeler, 1919, pp. 301, 302; Emery, 1919, p. 40).

Odontomachus haematodes Linnaeus* (Forel, 1908, p. 35; Emery, 1919, p. 40).

Odontomachus haematodes insularis Guérin (Wheeler, 1919, pp. 301, 303).

Pheidole biconstricta bicolor Emery (1919, p. 40).

Pheidole punctatissima Mayr (Emery, 1919, p. 40).

Pheidole subarmata Mayr* (Forel, 1908, p. 52; Emery, 1919, p. 40).

Prenolepis (viridula) guatemalensis cocoënsis Forel [Forel, 1902, p. 178 (as *Prenolepis guatemalensis* var. *cocoënsis*); Wheeler, 1919, pp. 301, 305; Emery, 1919, p. 40, as *Prenolepis (Nylanderia) guatemalensis* var. *cocoënsis*].

Pseudomyrma belti Emery, var. (1919, p. 40).

Solenopsis geminata Forel* (1908, p. 45; Emery, 1919, p. 40).

Solenopsis succinea Emery (1919, p. 40).

Tetramorium guineëse Fabricius (Wheeler, 1919, pp. 301, 303; Emery, 1919, p. 40).

Wasmannia auropunctata Roger (Wheeler, 1919, pp. 301, 304; Emery, 1919, p. 40).

Wasmannia auropunctata var. *rugosa* Forel* (1908, p. 45; Emery, 1919, p. 40).

The foregoing includes the combined lists of species and subspecies of ants reported from Cocos Island by Forel (1902; 1908), by Wheeler (1919; 1933) and by Emery (1919).

Forel (1908) suggested that 10 species (those in the list indicated by the symbol*) of the ant fauna of Cocos Island evidently arrived there with cultivated plants. Emery (1919) discussed the ant fauna and remarked on the preponderance of Central American forms. Apparently he favored the theory that some of these insects reached the island by way of a land bridge connected with the mainland during late Tertiary time.

Wheeler (1919, p. 301) remarked on seven species (which he listed) as follows: "With the exception of the tropicopolitan 'tramp', *Tetramorium guineëse*, of Old World origin, none of the forms is known to occur in the Galápagos Islands and all are neotropical or have strongly neotropical affinities." Further (p. 302), "It is evident that the Cocos ants are decidedly tropical whereas those of the Galápagos are mainly such as belong to sub-

tropical or temperate regions or at any rate to the cooler or subalpine regions in the New World tropics."

Class ARACHNIDA

Argyropeira nigriventris Keyserling. Reported from Cocos Island by Banks (1902, p. 61) and by Heller (1902, p. 78). It has also been reported from the Galápagos Islands, Central America, Colombia, Brazil, and the West Indies.

Phylum CHORDATA

Class REPTILIA

Anolis townsendi Stejneger

Sphaerodactylus pacificus Stejneger

Only two species of lizards have been described from Cocos Island, both by Stejneger (1900, p. 163; 1903, p. 3). *Sphaerodactylus pacificus* has been compared by herpetologists with *S. lincolatus* Lichtenstein which ranges from Central America to Colombia (Stejneger, 1903, p. 4; Barbour, 1921, p. 236, pl. 1, fig. 3, pl. 13, figs. 1-4).

For additional information on this group see Heller (1903); Taylor (1956).

Class PISCES

Fowler (1938, pp. 248-261) published lists of the fishes known to occur at Cocos Island. He recorded 72 species from or in the general vicinity of this island. Briggs (1961, pp. 552-554) reported 16 of 53 (30 per cent) species of transpacific shore fishes at Cocos Island. This would be 22.2 per cent of the 72 species reported from the island by Fowler. More recently Briggs (written communication April 3, 1962) mentioned a total of 59 shore fishes "of which sixteen are trans-pacific, thirty-eight are American, and five are endemic."

A freshwater guppy, *Cotylopus cocoensis* Heller and Snodgrass (1903, p. 211, pl. 11), described from streams at Chatham Bay, Cocos Island, was said to be allied to *Sicydium salvini* Grant from Panama.

Other workers who have contributed information concerning fishes from Cocos Island include: Beebe (1926, pp. 228, 435); Beebe and Tee-Van [1941a; 1941b (sharks, rays, mantas, chimaeras)]; Fowler (1932); Halstead and Bunker (1953); Halstead and Schall (1956); Heller and Snodgrass (1903); Heere (1936); Klauswitz (1958); Myers (1941); Myers and Wade (1941); Nichols and Breder (1928); Schmitt and Schultz (1940); Seale (1940); Snodgrass and Heller (1905).

Class AVES

(Land Birds)

- Butorides virescens maculatus* Boddaert. (Green heron). [Gifford, 1913, p. 65 (as *Butorides virescens*); Sludd, 1962, written communication (as *Butorides virescens maculatus*)]. Mainland and Galápagos Islands.
- Dendroica petechia aureola* Gould. (Yellow warbler). Reported from Cocos Island as *Dendroica aureola* Gould by Townsend (1895, p. 122) and as *Dendroica petechia* by Gifford (1919, p. 216); Beebe, 1926, p. 435 (as *Dendroica petechia aureola*); Sludd, [1962, written communication (as *Dendroica petechia aureola*)]. Mainland.
- Hirundo rustica erythrogaster* Boddaert. (Barn swallow). (Gifford, 1919, p. 205). Mainland.
- Nesococcyx ferrugineus* Gould. (Cocos Island Cuckoo). [Gould, 1843, p. 105 (as *Coccyzus ferrugineus*); Gifford, 1919, p. 195 (as *Coccyzus ferrugineus*); Beebe, 1926, p. 435 (as *Coccyzus ferrugineus*); Sludd, 1962 [written communication (as *Nesococcyx ferrugineus*)]. Known only from Cocos Island.
- Nesotriccus ridgwayi* Townsend. (Ridgway's flycatcher). (Townsend, 1895, p. 124; Gifford, 1919, p. 200; Beebe, 1926, p. 435). Known only from Cocos Island.
- Pandion haliaëtus* Linnaeus. (Osprey). (Gifford, 1919, p. 193). Mainland.
- Pinaroloxias inornata* Gould. (Cocos Island finch). [Gould, 1843, p. 104 (as *Cactornis inornata*); Townsend, 1895, p. 123 (as *Cocornis agassizi*); Richmond, 1902, pp. 247-248 (discussion of the type locality and synonymy of *Pinaroloxias inornata*); Gifford, 1919, p. 242 (as *Pinaroloxias inornata*); Beebe, 1926, p. 435 (as *Cocornis agassizi*); Swarth, 1931, pp. 268-271; Lack, 1945, pp. 19, 126, 129, and 1953, pp. 67, 72; Bowman (1961, pp. 20, 92, 94, 100, 104, 109, 113, 115, 129, 159, 161, 168, 177, 204, 207-216, 218, 220, 225, 231, 234, 289, pls. 7, 12, 16, 20)]. Known only from Cocos Island.

This list of 7 species and subspecies of land birds from Cocos Island with their occurrence elsewhere, was compiled from the literature supplemented by information received from Dr. Paul Sludd. Of the 7, 3 are known only from this island. Wallace in 1876 (p. 60), remarked on the interesting occurrence of "*Coccyzus*" [*Nesococcyx*] on this island.

Gifford (1919) discussed the land birds of Cocos Island and additional remarks concerning members of this group may be found in papers by Beck (1907); Murphy (1936); Rothchild (1902); Townsend (1895); see also Carriker (1910) and Eisenmann (1955).

Sea birds from Cocos Island have been discussed by Snodgrass and Heller (1902; 1903); by Gifford (1913), whose account includes references to other authors; and by Murphy (1936, p. 319).

BOTANY

The flora of Cocos Island has attracted the attention of several botanists. A comprehensive report by Stewart (1912) recorded 77 species of vascular plants, 20 of which are ferns. Only 8 of them (8.69 per cent), are endemic. Twenty-seven of these species, 11 of them ferns, also occur in the Galápagos Islands where the endemicity is reported to be 40.9 per cent.

Stewart concluded from his studies that the flora of Cocos Island was that of an oceanic island, younger than that of the Galápagos Islands, and that there was no evidence to support the theory that the island was ever connected by land with either the mainland or the Galápagos Islands. He believed that the flora reached the island chiefly from the mainland fortuitously through the agencies of winds, ocean currents, and migratory birds.

Svenson (1935, p. 259), referring to Johnston (1931, p. 35), stated that the vegetation of Cocos Island consists of about 100 species, of which about 10 are endemic, "overwhelmingly of ferns, melanostomes, and orchids." He mentioned that there is no change in the flora to a height of at least 457 meters (1500 feet). He also stated that except for ferns, virtually none of the species also occur on the Galápagos Islands.

Cook (1939) described a mountain palm, *Rooseveltia frankliniana*, from Cocos Island. It was said to be rather closely related to *Plectis oweniana* Cook from Guatemala. Cook believed that the coconut palms observed on Cocos Island as early as 1699 by Wafer, were introduced there.

Various components of the Cocos Island flora have been discussed by authors in several papers including: Bartram (1933, Mosses; see also list by Stewart, 1912, p. 395); Clark (1953, Hepaticae); Cook (1910; 1939; 1940, Palms); Cooke and Bonar (1961, Fungi); Howe (1934, Hepaticae); Pittier (1899); Rose (1892); Stewart (1911, pp. 230, 233-235. He remarked on the origin of the Galápagos flora and gave occasional reference to Cocos Island); Svenson (1935, includes various authors in his bibliography).

BIBLIOGRAPHY

ANONYMOUS

- 1920. Malpelo, Cocos, and Easter islands. Handbooks prepared under the direction of the historical section of the foreign office. London, H. M. Stationery Office, no. 141, pp. 1-30. [Cocos Island, pp. 7-30, with bibliography.]
- 1934a. Cocos Island: Lost treasure stirs an international feud. News-Week, vol. 4, no. 16, p. 15, 1 illustr., October 20.
- 1934b. Treasure seekers arrested. Literary Digest, vol. 118, p. 8, October 27.

1935. United States Hydrographic Office, Chart 823. South Pacific Ocean, Sheet 1, including the west coast of South America.
- 1938a. Sailing directions for the west coasts of Mexico and Central America. Hydrographic Office, no. 84, Washington, D.C., U.S. Government Printing Office, edition 8, 1937, pp. I-VII, 1-430, 2 charts. [Cocos Island, pp. 53-55.]
- 1938b. Third presidential cruise of the U.S.S. *Houston*, Captain G. N. Barker, U.S.N., commanding. Printed on board the U.S.S. *Houston*, pp. 1-75, illustrated. [Concerning Cocos Island, see pp. 58-59, 3 illustr.]
- 1939a. Cocos Island is still largely unknown world. *Science News Letter*, vol. 35, no. 13 [14], p. 218, April 8.
- 1939b. Cocos Island—Old pirates' haven, to be U.S. war plane base? *San Francisco Examiner*, vol. 171, no. 2, "The American Weekly" (Magazine Section), pp. 10-11 [not paginated], 13, 8 figs. (one map), July 2.
1945. Isla del Coco (Cocos Island). Hydrographic Office Chart no. 1685, Washington, D.C., edition 9, August, 1945. Corrected to 1957 through notice to mariners, no. 5, February 2, 1957.
1951. Sailing directions for the west coasts of Mexico and Central America. Hydrographic Office, no. 84, Washington, D.C., 1951 edition, change no. 1, 1953, pp. 26-27.
1953. Costa Rica: Authenticated fake [expeditions to Cocos.] *News-Week*, vol. 42, no. 19, p. 50, 3 illustr., November 9.

AGASSIZ, A.

1892. Reports on the dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and in the Gulf of California, in charge of Alexander Agassiz, carried on by the U.S. Fish Commission steamer *Albatross*, Lieut. Commander Z. L. Tanner, commanding. *Bulletin of the Museum of Comparative Zoölogy at Harvard College*, vol. 23, no. I, pp. 1-89, pls. 1-22, February. [Concerning Cocos Island, see p. 13, pl. 13.]

AMADOR, J. Q.

1954. *Geografia de Costa Rica*. Instituto Geografico de Costa Rica, San José, Costa Rica, pp. I-III, 1-189, 25 maps and charts. [Cocos Island, pp. 32-33.]

ANCEY, C. F.

1903. Faune malaeologique terrestre de l'Ile des Cocos dans l'Océan

Pacifique. *Journal de Conchyliologie*, vol. 51, no. 2, 97-104, September 18.

ANDERSON, ISABEL

1936. Zigzagging the South Seas. Bruce Humphries, Inc., Publ., Boston, pp. 1-262, 45 pls., maps front and back. ["Cocos, a treasure island," pp. 34-54, 3 pls.]

ANSON, G.

1748. Voyage round the world, in the years MDCCXL, I, II, III, IV. Printed for the author, London, [32 pp.], pp. 1-417, pls. 1-42. [Concerning Cocos Island, see pp. 212, 224-225.]

ANTROBUS, E.

1950. The pirate gold on Cocos Island. *Coronet*, vol. 28, pp. 146-148, Illustr., June.

BAKER, II. B.

1941. Zonitid snails from the Pacific Islands. Bernice P. Bishop Museum, Bulletin 166, pts. 3-4, pp. 205-370, pls. 43-65, February 5. [See especially pp. 223-226, 352.]
1945. Some American Achatinidae. *Nautilus*, vol. 58, no. 3, pp. 84-92, January [issued February 19]. [Concerning species from Cocos Island, see p. 87.]

BANKS, N.

1902. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. VII. Entomological results (6). Arachnida. With field notes by Robert E. Snodgrass (pp. 71-80). *Proceedings of the Washington Academy of Sciences*, vol. 4, pp. 49-86, pls. 1-3, March 27. [Concerning species from Cocos Island see pp. 61, 78.]

BARBOUR, T.

1921. *Sphaerodactylus*. *Memoirs of the Museum of Comparative Zoölogy at Harvard College*, vol. 47, no. 3, pp. 217-278, pls. 1-26, December. [*Sphaerodactylus pacificus*, p. 236, pl. 1, fig. 3; pl. 13, figs. 1-4, from Cocos Island.]

BARTRAM, E. B.

1933. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 8. Mosses of the Templeton Crocker Expedition collected by John Thomas Howell and lists of mosses known from the Galápagos Islands and from Cocos Island. *Proceedings of the California Academy of Sciences*,

Fourth Series, vol. 21, no. 8, pp. 75-86, figs. 1-3 in text, September 20. [See especially pp. 82-85.]

BARTSCH, P., and H. A. REHDER

1939. Mollusks collected on the presidential cruise of 1938. Smithsonian Miscellaneous Collections, vol. 98, no. 10 (Publ. 3535), pp. 1-18, pls. 1-5, June 13. [Cocos Island, p. 18].

BECK, R. II.

1907. Notes from Clipperton and Cocos islands. Condor, vol. 9, no. 4, pp. 109-110, July-August.

BEEBE, W.

1926. The Arcturus adventure. An account of the New York Zoological Society's first oceanographic expedition. G. P. Putnam's Sons. New York and London, pp. I-XIX, 1-439, 8 pls. (Col.), figs. 1-69 (black and white illustr., photographs and maps). [See especially pp. 321-323, 410-412, 435. See also Rose, R.]

BEEBE, W., and RUTH ROSE

1926. Cocos—The isle of pirates. (In Beebe, W.) The *Arcturus* adventure. G. P. Putnam's Sons, New York and London, pp. 220-249, figs. 36-39.

BEEBE, W., and J. TEE-VAN

- 1941a. Eastern Pacific expeditions of the New York Zoological Society. XXV. Fishes from the tropical Eastern Pacific. [From Cedros Island, Lower California, South to the Galápagos Islands and northern Peru.] Part 2. Sharks. Zoologica, Scientific contributions of the New York Zoological Society, vol. 26, pt. 2, no. 15, pp. 93-122, pls. 1 and 2, figs. 1-34 in text, September 8. [Concerning species from Cocos Island, see pp. 101, 111, 112, 113, 120.]

- 1941b. Same reference, no. 26, part 3. Rays, mantas and chimaeras, pp. 245-280, pls. 1-4, figs. 1-40 in text, October 31. [Concerning species from Cocos Island, see p. 274.]

BELCHER, E.

1843. Narrative of a voyage round the world, performed in Her Majesty's Ship *Sulphur* during the years 1836-1842. Vol. 1, pp. I-XXXVIII, 1-387, frontispiece, 7 pls., 3 maps, 11 vignettes. [Concerning Cocos Island, see pp. 186-191; 223, 253-254.]

BERRY, S. S.

1912. A review of the Cephalopoda of western North America. Bulletin of the Bureau of Fisheries, vol. 30 (Document 761), Wash-

ington, D.C., pp. 269–336, pls. 32–56, figs. 1–18 in text, 1910 (issued July 24, 1912).

BETAGH, W.

1728. Voyage round the world being an account of a remarkable enterprize, begun in the year 1719, chiefly to cruise on the Spaniards in the great South Ocean. Relating the true historical facts of that whole affair: Testifyd by many imployd therein: and confirmd by authorities from the owners. London, pages [I–X not paginated] 1–342 [+ 3 not paginated], 1 folding map. [Concerning Coeos Island, see pp. 146–147.]

BIOLLEY, P.

1907. Mollusques de L'Isla del Coco. Museum Nacional de Costa Rica, San José, pp. 1–30, 2 pages of maps.
- 1908–1909. Los Moluscos de la Isla del Coco (Costa Rica). Anales Museum Nacional, San Salvador, tome III, no. 22, pp. 327–333, September 1, 1908; no. 23, pp. 384–387, January 1, 1909. [Abbreviated data from paper of 1907, according to Calvert, Amelia S., and Calvert, P. P., A year of Costa Rican natural history. Macmillan Co., New York, 1917, p. 532.]

BOONE, LEE

1927. The littoral Crustacean fauna of the Galápagos Islands. Zoologica, Scientific Contributions of the New York Zoological Society, vol. 8, no. 4, pp. 127–288, pl. C. (map), figs. 34–102D, August 11.
- 1930a. Scientific results of the cruises of the yachts *Eagle* and *Ara*, 1921–1928, William K. Vanderbilt, commanding. Crustacea: Stomatopoda and Brachyura. Bulletin of the Vanderbilt Marine Museum, vol. 2, pp. 1–228, pls. 1–74, September 1. [Concerning species from Cocos Island, see pp. 18, 19.]
- 1930b. Scientific results of the cruises of the yachts *Eagle* and *Ara*, 1921–1928, William K. Vanderbilt, commanding. Crustacea: Anomura, Macrura, Schizopoda, Isopoda, Amphipoda, Mysidacea, Cirripedia, and Copepoda. Bulletin of the Vanderbilt Marine Museum, vol. 3, pp. 1–221, pls. 1–83, November 1. [Concerning species from Cocos Island, see p. 20.]
1932. The littoral crustacean fauna of the Galápagos Islands. Zoologica, Scientific Contributions of the New York Zoological Society, vol. 14, no. 1, pp. 1–62, figs. 1–19, January. [Concerning species from Cocos Island, see pp. 9, 22, 26, 60.]
1933. Scientific results of cruises of the yachts *Eagle* and *Ara*, 1921–

1928, William K. Vanderbilt, commanding. Coelenterata, Echinodermata and Mollusea. Bulletin of the Vanderbilt Marine Museum, vol. 4, pp. 1-217, pls. 1-133, April 30. [Concerning species from Cocos Island, see pp. 16-24.]

BOWMAN, R. I.

1961. Morphological differentiation and adaptation in the Galápagos finches. University of California Publications in Zoology, Vol. 58, pp. I-VII, 1-302, pls. 1-22, figs. 1-74 in text, August 22. [Concerning Cocos Island, see p. 6 and fig. 2 (p. 7). Concerning *Pinarolorias inornata*, see pp. 20, 92, 94, 100, 104, 109, 113, 115, 129, 159, 161, 168, 177, 204, 207-216, 218, 220, 225, 231, 234, 289, pls. 7, 12, 16, 20.]

BRIGGS, J. C.

1961. The east Pacific barrier and the distribution of marine shore fishes. Evolution, vol. 15, no. 4, pp. 545-554, figs. 1-3 in text, December 30.

BRIGGS, MARIE

1950. Cocos Island venture. Borden Publishing Company, Los Angeles, California, pp. 1-214, 1 map (on lining paper).

BRÖLEMAN, H. W.

1903. Myriapodes recueillis a l'Isla de Cocos par M. le Professeur P. Biolley. Annales de la Societe Entomologique de France, vol. 72, 1er trimestre, pp. 128-143, 1 pl., figs. 1-10 in text, June.

1905. Myriapodes de Costa-Rica recueillis par Mr. le Professeur P. Biolley. Annales de la Societe Entomologique de France, vol. 74, 3er trimestre, pp. 336-380, pls. 8, 9, 10, figs. 1-9 in text, October. [Concerning species from Cocos Island, see pp. 337, 338, 339, 341, 372.]

BURNEY, J.

1803-1816. A chronological history of the discoveries in the South Sea or Pacific Ocean. London, pt. 1, pp. I-XII (+ 8), 1-383, ap., pp. 385-391, 5 charts, 1803. [Concerning Cocos Island, see pp. 275-276.]; vol. 4, pp. I-XVI, 1-580, 5 charts, 1816. [Concerning Cocos Island, see pp. 155, 189-190.]

CALLANDER, J.

1768. Terra Australis Cognita: or, voyages to the Terra Australis, or southern hemisphere, during the sixteenth, seventeenth, and eighteenth centuries. Printed by A. Donaldson, Edinburgh, vol. 2, pp. I-II (preface by the editor), 3-692. [In this sum-

mary of voyages, Dampier's remarks concerning Cocos Island appear on pp. 578-579 and those of Wafer on pp. 674-676.]

CAMPBELL, MALCOLM, (Sir)

1931. My greatest adventure: searching for pirate treasure in Cocos Island. T. Butterworth, Ltd., London, pp. 1-290, frontispiece, plates.
1932. Searching for treasure in Cocos Island. Frederick A. Stokes Company, New York, pp. I-VIII, 1-279, frontispiece colored, pls. 1-4.
1934. Modern buried treasure. E. P. Dutton & Co., New York. [Concerning Cocos Island, see pp. 100-138.] [Not seen.]

CARRIKER, M. A., JR.

1910. An annotated list of the birds of Costa Rica including Cocos Island. Annals of the Carnegie Museum, vol. 6, nos. 2-3, pp. 314-915, 1 map, August. [Concerning species from Cocos Island, see pp. 563, 709, 813, 894.]

CHACE, F. A., JR.

1962. The non-brachyuran decapod crustaceans of Clipperton Island. Proceedings of the United States National Museum, vol. 113, no. 3466, pp. 605-635, figs. 1-7 in text. [Concerning species from Cocos Island, see pp. 617, 624.]

CHAMBERLIN, J.

1935. Treasure hunting, incorporated. Review of Reviews, vol. 91, no. 2, pp. 33-37, 68, 10 figs., February. [Concerning Cocos Island, see pp. 37, 68.]

CHETWOOD, J.

1904. Our search for the missing millions (of Cocos Island) by one of the searchers. Being an account of a curious cruise, and a more than curious character. The South Sea Bubble Co. [?San Francisco], pp. 1-210, frontispiece and pls. 1-12. [Cocos Island, pp. 17-30.]

CHUBB, L. J.

1933. Geology of Galápagos, Cocos, and Easter islands. Bernice P. Bishop Museum, Bulletin 110, pp. 1-67, pls. 1-5, figs. 1-9 in text. [Chubb, pp. 1-44, 65-67, pls. 1-5, figs. 1-8. "Petrology of the Galápagos Islands" by Constance Richardson, pp. 45-64, fig. 9.] [Concerning Cocos Island, see pp. 25-30, fig. 6, pl. 3, fig. B.]

CHURCH, G. E.

1897. [Cocos Island, in] Costa Rica. Geographical Journal, vol. 10, no. 1, pp. 56-84, 1 map (opp. p. 128), July. [Cocos Island, p. 73.]

CLARK, A. H.

1939. Echinoderms (other than Holothurians) collected on the presidential cruise of 1938. Smithsonian Miscellaneous Collections, vol. 98, no. 11 (publ. 3536), pp. 1-18, pls. 1-5, June 2. [Concerning species from Cocos Island, see p. 2.]

CLARK, H. L.

1940. Eastern Pacific expeditions of the New York Zoological Society. XXI. Notes on the Echinoderms from the west coast of Central America. Zoologica, Scientific Contributions of the New York Zoological Society, vol. 25, pt. 3, no. 22, pp. 331-352, pls. 1, 2, text figs. 1-4, November 14. [Concerning species from Cocos Island, see pp. 333, 336, 341, 342, 343, 347, 349, 350, 352.]
1948. A report on the Echini of the warmer eastern Pacific, based on the collections of the *Velero III*. Allan Hancock Pacific Expeditions, vol. 8, no. 5, pp. I-XII (Introduction by Th. Mortensen), pp. 225-352, pls. 35-71, text figs. 1-3, December 29. [Concerning species from Cocos Island, see pp. 226, 229, 235, 294, 296, 297, 330, 342, 344, 348.]

CLARK, LOIS

1953. Some hepaticae from the Galápagos, Cocos, and other Pacific Coast islands. Proceedings of the California Academy of Sciences, fourth series, vol. 27, no. 18, pp. 593-624, pls. 37-41, March 30. [Concerning species from Cocos Island, see pp. 599, 601, 602, 603, 604, 606, 607, 608, 609, 610, 611.]

CLOVER, S. T.

1932. A pioneer heritage. Saturday Night Publishing Company, Los Angeles, pp. I-II, 1-291, pls. 1-97, 4 maps (front and back), 1 text fig. [Concerning Cocos Island, see pp. 143-144, 209-211, 2 pls.]

COLLENETTE, C. L.

- [1926]. Sea-girt jungles. The experiences of a naturalist with the *St. George* Expedition. Hutchinson & Company, London, pp. I-XIV, 15-275, frontispiece, 1 map, 34 illustrations. [Concerning Cocos Island, see pp. 216-235.]

COLNETT, J., (Captain)

1798. A voyage to the South Atlantic and round Cape Horn into the Pacific Ocean, for the purpose of extending the spermaceti whale fisheries, and other objects of commerce, by ascertaining the ports, bays, harbours, and anchoring births, in certain islands and coasts in those seas at which the ships of the British merchants might be refitted. Printed for the author, by W. Bennett, London, pp. I-XVIII, 1-179, 1 portrait, 6 charts and 3 pls. of illustr. [Concerning Cocos Island, see pp. 67-74, 1 chart, 1 illustr.]

COOK, O. F.

1910. History of the Coconut Palm in America. Contributions from the United States National Herbarium, vol. 14, pt. 2, pp. I-VII, 271-342, IX-XIII (index), pls. 53-66, December 31. [See "The Palms of Cocos Island," pp. 291-296.]
1939. A new Palm from Cocos Island collected on the presidential cruise of 1938. Smithsonian Miscellaneous Collections, vol. 98, no. 7, (publ. 3532), pp. 1-26, pls. 1-26, May 29.
1940. An endemic Palm on Cocos Island near Panama mistaken for the Coconut Palm. Science (new ser.), vol. 91, no. 2354, pp. 140-142, February 9.

COOKE, W. B., and L. BONAR

1961. Additional fungi from the Galápagos and other Pacific Coastal islands collected during the Templeton Crocker Expedition, 1932. Occasional papers of the California Academy of Sciences, no. 29, pp. 1-5, January 30. [See *Poris umbrinella* Bresadola, reported from Cocos Island, p. 5.]

COOLIDGE, A.

1933. A visit to the Cocos and Galápagos islands on board the *Blue Dolphin*. Boston, privately printed, 104 pp. [not paginated], 87 illustr., 1 chart, 2 vignettes. [16 pp. of text and 25 illustrations taken at or near Cocos Island.]

COQUILLET, D. W.

1901. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. II. Entomological results (2): Diptera. Proceedings of the Washington Academy of Sciences, vol. 3, pp. 371-379, November 7. [*Leucomolina pica* Macquart recorded from Cocos Island, p. 375.]

COULTER, J.

1847. Adventure on the western coast of South America and the in-

terior of California. Longman, Brown, Green, and Longmans, London, vol. 1, pp. I-XII, 1-288. [Concerning Cocos Island, see pp. 95-126.]

CRAUFURD, Q. C. A.

1927. Concerning a hunt for treasure in the Pacific. A true yarn. Blackwood's Magazine, vol. 221, no. 1338, pp. 535-546, April.

CUSHMAN, J. A., and IRENE McCULLOCH

1939. A report on some arenaceous Foraminifera. Allan Hancock Pacific Expeditions, vol. 6, no. 1, pp. 1-113, pls. 1-12, August 14. [Concerning species from Cocos Island, see pp. 60, 69, 79, 96, 104, 106, 112.]
1950. Some Lagenidae in the collections of the Allan Hancock Foundation. Allan Hancock Pacific Expeditions, vol. 6, no. 6, pp. 295-364, pls. 37-48, February 23. [Concerning species from Cocos Island, see pp. 315, 317, 327, 352.]

DALL, W. H.

1895. Scientific results of explorations by the U.S. Fish Commission steamer *Albatross*. No. XXXIV. Report on Mollusca and Brachiopoda dredged in deep water, chiefly near the Hawaiian Islands, with illustrations of hitherto unfigured species from northwest America. Proceedings of the United States National Museum, vol. 17, no. 1032, pp. 675-733, pls. 23-32, July 2. [Concerning species from Cocos Island, see p. 717.]
1896. Insular landshell faunas, especially as illustrated by the data obtained by Dr. G. Baur in the Galápagos Islands. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 48, pp. 395-459, pls. 15-17. [Pp. 395-456, issued September 15, pp. 457-459, September 22.]
1900. Additions to the insular land-shell faunas of the Pacific Coast, especially of the Galápagos and Cocos islands. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 52, pp. 88-106, pl. 8. [Pp. 88-96, April 13; pp. 97-106, April 16.] ["Cocos Island species," pp. 96-99.]
1902. Illustrations and descriptions of new, unfigured, or imperfectly known shells, chiefly American, in the U.S. National Museum. Proceedings of the United States National Museum, vol. 24 (no. 1264), pp. 499-566, pls. 27-40, March 31. [Concerning species from Cocos Island, see p. 561.]
1908. Reports on the dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and in

the Gulf of California, in charge of Alexander Agassiz, carried on by the U.S. Fish Commission steamer *Albatross*, during 1891, Lieut. Commander Z. L. Tanner, U.S.N., commanding. XXXVII. Reports on the scientific results of the expedition to the eastern tropical Pacific, in charge of Alexander Agassiz, by the U.S. Fish Commission steamer *Albatross*, from October, 1904, to March, 1905, Lieut. Commander L. M. Garrett, U.S.N., commanding. XIV. Reports on the Mollusca and Brachiopoda. Bulletin of the Museum of Comparative Zoölogy at Harvard College, vol. 43, no. 6, pp. 205-487, pls. 1-22, October. [Concerning species from Cocos Island, see pp. 405, 436-437.]

1909. Report on a collection of shells from Peru, with a summary of the littoral marine Mollusca of the Peruvian Zoological Province. Proceedings of the United States National Museum, vol. 37, no. 1704, pp. 147-294, pls. 20-28, November 24. [Concerning species from Cocos Island, see pp. 194, 195, 205, 246.]
1910. Summary of the shells of the genus *Conus* from the Pacific Coast of America in the U.S. National Museum. Proceedings of the United States National Museum, vol. 38, no. 1741, pp. 217-228, June 6. [Concerning species from Cocos Island, see p. 225.]
1917. Summary of the mollusks of the family Alectrionidae of the West Coast of America. Proceedings of the U.S. National Museum, vol. 51, no. 2166, pp. 575-579, January 15. [Concerning species from Cocos Island, see p. 578.]
1920. Annotated list of the recent Brachiopoda in the collection of the United States National Museum, with descriptions of thirty-three new forms. Proceedings of the U.S. National Museum, vol. 57, no. 2314, pp. 261-377, June 24. [Concerning species from Cocos Island, see p. 288.]

DAMPIER, W.

1699. A new voyage round the world. Printed for James Knapton, London, vol. 1, edit. 4 corrected, pp. A2-A4 [6 pp.], 1-550, 4 maps. [Concerning Cocos Island, see pp. 111, 131.]
1729. A new voyage round the world (with an introduction by Sir Albert Gray). Argonaut Press, London, pp. I-XXXVII, 1-376, portrait, 6 pls. (4 maps). Reprint of Edit. 7, 1927. [Concerning Cocos Island, see pp. 83, 111.]

DAVIS, W. M.

- [1874] 1926. Nimrod of the sea or the American whaleman. Edition

1926 with an introduction and notes by John R. Spears (pp. IX–XIX). Charles E. Lauriat Company, Boston, pp. 1–406, frontispiece, 31 illustr. [Concerning Cocos Island, see pp. 115–124, 3 figs.]

DEICHMANN, ELIZABETH

1941a. Coelenterates collected on the presidential cruise of 1938. Smithsonian Miscellaneous Collections, vol. 99, no. 10, pp. 1–17, 1 pl., figs. 1–4 in text, January 27. [Concerning species from Cocos Island, see p. 13.]

1941b. The Holothurioidea collected by the *Velero III* during the years 1932 to 1938. Part I. Dendrochirota. Allan Hancock Pacific Expeditions, vol. 8, no. 3, pp. 61–195, pls. 10–30, June 20. [Concerning species from Cocos Island, see pp. 69, 149, 150.]

1958. The Holothurioidea collected by the *Velero III* and *IV* during the years 1932 to 1954. Part II. Aspidochirota. Allan Hancock Pacific Expeditions, vol. 11, no. 2, pp. 253–349, pls. 1–9, February 11. [Concerning species from Cocos Island, see pp. 261, 289, 292, 293, 296, 305, 312, 313, 318, 324, 326.]

DEMOND, JOAN

1957. Micronesian reef-associated gastropods. Pacific Science, vol. 11, no. 3, pp. 275–341, pls. 1–4, figs. 1–42 in text, July. [Concerning species from Cocos Island, see pp. 301, 304.]

DOESBURG, P. H. VAN

1953. On some neotropical Passalidae. Pan-Pacific Entomologist, vol. 29, no. 4, pp. 203–205, October. [Concerning species from Cocos Island, see p. 203.]

DOUGLAS, A. J. A., (Major), and P. H. JOHNSON

1926. The South Seas of today, being an account of the cruise of the yacht *St. George* to the South Pacific. Cassell and Company, Ltd., London, New York, pp. i–xiv, 1–295, 39 illustrations and 3 charts.

DRISCOLL, C. B.

1931. Pirates ahoy! The perennial treasure hunters of Cocos Island. San Francisco Chronicle, vol. CXXXIX, no. 151, Sunday magazine section [p. 8, not paginated], 1 illustr., December 13.

DURHAM, J. W.

1962. Scientific results of the Galápagos-Expedition 1953–54 of the International Institute for Submarine Research, Vaduz (Liechtenstein), leader, Dr. Hans Hass. Corals from the Galápagos

and Cocos Islands. Proceedings of the California Academy of Sciences, fourth ser., vol. 32, no. 2, pp. 41-56, figs. 1-9, June 29 [mailed July 13.]

DURHAM, J. W., and J. L. BARNARD

1952. Stony corals of the eastern Pacific collected by the *Velero III* and *Velero IV*. Allan Hancock Pacific Expeditions, vol. 16, no. 1, pp. 1-110, pls. 1-16, August 18. [Concerning species from Cocos Island, see pp. 30, 36, 42, 53, 58, 73, 103.]

EISENMANN, E.

1955. The species of middle American birds. Transactions of the Linnaean Society of New York, vol. 7, pp. I-VI, 1-128, April. [Concerning species from Cocos Island, see pp. 68, 89, 102.]

EMERY, C.

1919. Formiche dell' Isola Cocos. Rendiconto delle sessioni della R. Accademia della Scienze dell' Istituto di Bologna, Classe di Scienze Fisiche, Nuova serie, vol. 23 (1918-19), pp. 36-40. [Concerning species from Cocos Island, see p. 40.]

FAXON, W.

1893. Reports on the dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and in the Gulf of California. . . . by the U.S. Fish Commission steamer *Albatross*, during 1891. . . . VI. Preliminary descriptions of new species of Crustacea. Bulletin of the Museum of Comparative Zoölogy at Harvard College, vol. 24, no. 7, pp. 149-220, August.
1895. Reports on an exploration off the west coasts of Mexico, Central and South America, and off the Galápagos islands, in charge of Alexander Agassiz, by the U.S. Fish Commission steamer *Albatross*, during 1891, Lieut. Commander Z. L. Tanner, U.S.N., commanding. XV. The stalk-eyed Crustacea. Memoirs of the Museum of Comparative Zoölogy at Harvard College, vol. 18, pp. 1-292, pls. A-K, 1-56, 57 (map), April. [For a list of 32 species from off Cocos Island, see p. 257.]

FLEISCHMANN, J.

1935. Footsteps in the sea. G. P. Putnam's Sons, New York, pp. 1-286, frontispiece, 116 halftone illustr. (on 46 unnumbered plates), maps on front and back lining paper. [Concerning Cocos Island, see pp. 21-38 and illustr. 5-11.]

FODOR, N.

1962. The Cocos Island mystery. *Tomorrow*, vol. 10, no. 1, pp. 71-80, Winter [issued January].

FOREL, A.

1902. Quatre notices myrmécologiques. *Annales de la Société Entomologique de Belgique*, tome 46, pp. 170-182, May 1. [See "II Fourmis de l'île de Coco, etc.," pp. 176-179.]
1908. Fourmis de Costa-Rica récoltées par M. Paul Biolley. *Bulletin de la Société Vaudoise des Sciences Naturelle*, ser. 5, vol. 44, no. 162, pp. 35-72, March.

FOWLER, H. W.

1932. The fishes obtained by the Pinchot South Seas Expedition of 1929, with description of one new genus and three new species. *Proceedings of the U.S. National Museum*, vol. 80, art. 6, publ. no. 2906, pp. 1-16, figs. 1-4 in text, February 16. [Concerning species from Cocos Island, see pp. 1, 6, 9, 12, 15.]
1938. The fishes of the George Vanderbilt South Pacific Expedition. 1937. *Monographs of the Academy of Natural Sciences of Philadelphia*, no. 2, pp. I-V, 1-349, frontispiece (map), pls. 1-12, October 14. [List of species known from Cocos Island, pp. 248-261.]

FRASER, C. McL.

1938. Hydroids of the 1932, 1933, 1935, and 1939 Allan Hancock Pacific Expeditions. *Allan Hancock Pacific Expeditions*, vol. 4, no. 3, pp. 129-153, pls. 19-21, October 20. [Concerning species from Cocos Island, see pp. 132, 133.]
1943. General account of the scientific work of the *Velero III* in the eastern Pacific, 1931-41. Pt. II. Geographical and Biological Associations. *Allan Hancock Pacific Expeditions*, vol. 1, no. 2, pp. 49-258, pls. 17-128, December. [Concerning Cocos Island, see especially p. 161, pls. 78-80.] General account of the scientific work of the *Velero III* in the Eastern Pacific, 1931-41. Pt. III. A ten-year list of the *Velero III* collecting stations. *Allan Hancock Pacific Expeditions*, vol. 1, no. 3, pp. 259-431, charts 1-115, December, 1943. An appendix of collecting stations of the Allan Hancock Foundation for the year 1942. [Concerning Cocos Island, see pp. 279, 313, chart 78, p. 408.]
1948. Hydroids of the Allan Hancock Pacific Expeditions since March, 1938. *Allan Hancock Pacific Expeditions*, vol. 4, no. 5, pp.

179-335, April 21. [Concerning species from Cocos Island, see pp. 226, 250.]

FREEMAN, O. W.

1951. *Geography of the Pacific*. John Wiley & Sons, Inc., New York, pp. I-XII, 1-573, figs. 1-156, + map (frontispiece). [See "Islands of the Eastern and Northern Pacific," pp. 522-544, figs. 149-152. "Cocos Island," pp. 532-533.]

GARTH, J. S.

1946. *Distribution studies of Galápagos Brachyura*. Allan Hancock Pacific Expeditions, vol. 5, no. 11, pp. 603-638, charts 1-10, June 14. [Concerning species from Cocos Island, see pp. 621, 622, 623.]
1958. *Brachyura of the Pacific Coast of America*. Oxyrhynchia. Allan Hancock Pacific Expeditions, vol. 21, pt. 1, I-XII, 1-499 [+ 1 blank]; pt. 2, pp. 501-854, pls. A-Z 4, 1-55, July 25.

GERHARD, P.

1960. *Pirates on the west coast of New Spain 1575-1742*. Arthur H. Clark Company, Glendale, California, pp. 1-274, 10 illustr. [Concerning Cocos Island, see pp. 53, 104, 107, 113, 157, 163, 218, 222.]

GERMAIN, L.

1934. *Études sur les faunes malacologiques insulaires de l'Océan Pacifique*. [In] *Contribution a l'Étude du Peuplement Zoologique et Botanique des Iles du Pacifique*. Société de Biogéographie, mém. 4, pp. 89-153, "cartes" 1-4. [Concerning the molluscan fauna of Cocos Island, see p. 153, footnote 2.]

GIFFORD, E. W.

1913. *Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906*. No. VIII. The birds of the Galápagos Islands, with observations on the birds of Cocos and Clipperton islands (Columbiformes to Pelecaniformes). *Proceedings of the California Academy of Sciences*, fourth ser., vol. 2, pt. 1, pp. 1-132, pls. 1-7, August 11.
1919. *Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906*. No. XIII. Field notes on the land birds of the Galapagos Islands and of Cocos Island, Costa Rica. *Proceedings of the California Academy of Sciences*, fourth ser., vol. 2, pt. 2, no. 13, pp. 189-258, June 16. [Concerning species from Cocos Island, see pp. 193, 195, 200, 205, 216, 242.]

GISSLER, A.

My twenty years on Cocos Island. Manuscript in Foul Anchor Archives, Rye, New York. [According to R. I. Nesmith, 1958.]

GODWIN, G. S.

1931. Vancouver. A life. 1757-1798. D. Appleton & Co., New York, pp. I-XI, 1-308, frontispiece, 10 illustrations, 3 charts. [Concerning Cocos Island, see pp. 138, 262.]

GOULD, J.

1843. Nine new birds, collected during the recent voyage of H.M.S. *Sulphur*. Proceedings of the Zoological Society of London for 1843 (Part 11), pp. 103-108, December. [Concerning species from Cocos Island, see pp. 104, 105.]

GRAU, G.

1959. Pectinidae of the eastern Pacific. Allan Hancock Pacific Expeditions, vol. 23, pp. I-VIII, 1-308, pls. 1-57, September 25. [Concerning species from Cocos Island, see pp. 30, 36, 142, 155.]

GREY, Z.

1925. Tales of fishing in virgin seas. Harper & Brothers Publication, New York and London, pp. I-VII, 1-216, pls. 1-112 (also vignettes by Lillian W. Smith). [Cocos Island, pp. 12-42, pls. 1-13.]

GUDE, G. K.

1903. Descriptions of some new forms of helicoid land-shells. Proceedings of the Malacological Society of London, vol. 5, no. 4, pp. 262-266, pl. 7, April. [Concerning species from Cocos Island, see p. 265.]

GUEYDON, H. L., (Comte de)

1948. Report on Cocos. Pacific Discovery. Published by the California Academy of Sciences, vol. 1, no. 6, pp. 8-14, 4 halftone illustr., November-December. (Translation by T. R. Kelley).

HAIG, JANET

1960. The Porecellanidae (Crustacea Anomura) of the eastern Pacific. Allan Hancock Pacific Expeditions, vol. 24, pp. I-VII, 1-440, pls. 1-41, March 1.

HALSTEAD, B. W., and N. C. BUNKER

1953. Report on an investigation of poisonous and venomous fishes at Cocos, Galápagos and La Plata islands during December 4,

1952 to 28th of January 1953. Office of Naval Research Contract no. NONR-205 (00), pp. 1-14, February 16, 1953. [Mimeographed.] [Concerning Cocos Island, see pp. 3-6.]

HALSTEAD, B. W., and D. W. SCHALL

1956. A report on the poisonous fishes captured during the Woodrow G. Krieger Expedition to Cocos Island. *Pacific Science*, vol. 10, no. 1, pp. 103-109, fig. 1 (map), January.

HANCOCK, R. H., and J. A. WESTON

1960. The lost treasure of Cocos Island. Thomas Nelson & Sons, Edinburgh; New York; Toronto, pp. 1-325, 16 halftone illustrations. [Contains a summary of main expeditions to recover treasure.]

HANNA, G. D., and L. G. HERTLEIN

1938. Land and brackish water Mollusca of Cocos Island. *Allan Hancock Pacific Expeditions*, vol. 2, no. 8, pp. 123-135, fig. 1, August.

HANNA, G. D., and A. M. STRONG

1949. West American mollusks of the genus *Conus*. *Proceedings of the California Academy of Sciences*, fourth ser., vol. 26, no. 9, pp. 247, 322, pls. 5-10, text figs. 1-4, January 28. [Concerning species from Cocos Island, see pp. 269, 271, 272, 305.]

HARTMAN, OLGA

1939a. The Polychaetous Annelids collected on the presidential cruise of 1938. *Smithsonian Miscellaneous Collections*, vol. 98, no. 13 (publ. 3538), pp. 1-22, figs. 1-3, June 9. [Concerning species from Cocos Island, see especially p. 3.]

1939b. Polychaetous Annelids. Part I. Aphroditidae to Pisionidae. *Allan Hancock Pacific Expeditions*, vol. 7, no. 1, pp. 1-155, pls. 1-28, August 28. [Concerning species from Cocos Island, see pp. 10, 16, 17, 59, 61, 74.]

1940. Polychaetous Annelids. Part II. Chrysopetalidae to Goniadidae. *Allan Hancock Pacific Expeditions*, vol. 7, no. 3, pp. 173-287, pls. 31-44, February 20. [Concerning species from Cocos Island, see pp. 190, 205.]

1959. Catalogue of the Polychaetous annelids of the world. Part I. *Allan Hancock Foundation Publications, Occasional Paper* no. 23, pp. I-VI, 1-354; pt. II, pp. I-V, 355-628, December 30.

HEERE, A. W.

1936. Fishes of the Crane Pacific Expedition. Reports on results of

the Crane Pacific Expedition. Field Museum of Natural History, Zoological Series, vol. 21, publ. 353, pp. 1-472, figs. 1-50 in text, April 15. [Concerning species from Cocos Island, see p. 12.]

HEIDEMANN, O.

1901. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. Entomological Results (I): 1. Hemiptera. Proceedings of the Washington Academy of Sciences, vol. 3, pp. 363-370 (Hemiptera, pp. 364-370), August 23. [Concerning species from Cocos Island, see p. 370.]

HELLER, E.

1903. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. XIV. Reptiles. Proceedings of the Washington Academy of Sciences, vol. 5, pp. 39-98, February 26. [Concerning species from Cocos Island, see p. 95.]

HELLER, E., and R. E. SNODGRASS

1903. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. XV. New Fishes. Proceedings of the Washington Academy of Sciences, vol. 5, pp. 189-229, pls. 2-20, 1 fig. in text, September 12. [Concerning species from Cocos Island, see pp. 204, 210, 211.]

HERTLEIN, L. G.

1932. Mollusks and barnacles from Malpelo and Cocos islands. *Nautilus*, vol. 46, no. 2, pp. 43-45, October (issued October 22).
1935. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 25. The Recent Pectinidae. Proceedings of the California Academy of Sciences, fourth series, vol. 31, no. 25, pp. 301-328, pls. 18 and 19, September 26. [Concerning species from Cocos Island, see p. 319.]
1937. A note on some species of marine mollusks occurring in both Polynesia and the Western Americas. Proceedings of the American Philosophical Society, vol. 78, no. 2, pp. 303-312, pl. 1, and map. [Concerning species from Cocos Island, see pp. 306, 307.]

HERTLEIN, L. G., and W. K. EMERSON

1953. Mollusks from Clipperton Island (eastern Pacific) with the description of a new species of gastropod. Transactions of the San Diego Society of Natural History, vol. 11, no. 13, pp. 345-364, pls. 26, 27, July 22.
1957. Additional notes on the invertebrate fauna of Clipperton Island.

American Museum Novitates, no. 1859, pp. 1-9, December 6.

HERTLEIN, L. G., and U. S. GRANT, IV

1944. The Cenozoic Brachiopoda of western North America. Publications of the University of California at Los Angeles in Mathematical and Physical Sciences, vol. 3, pp. I-VI, 1-236, pls. 1-21, 34 figs. in text, November 4. [Concerning species from Cocos Island, see p. 60.]

HOLDHAUS, K.

1934. Die Verbreitung der Insekten auf den Inseln des Pacifischen Oceans. [In] Contribution a L'Étude du Peuplement Zoologique et Botanique des Iles du Pacifique. Société de Biogéographie, mém. 4, pp. 201-218, figs. 1-3. [Concerning Cocos Island, see pp. 204, 208.]

HOLTHUIS, L. B.

1952. A general revision of the Palaemonidae (Crustacea Decapoda Natantia) of the Americas. II. The subfamily Palaemoninae. Allan Hancock Foundation Publications, Occasional Paper no. 12, pp. 1-396, pls. 1-55, June 19. [Concerning species from Cocos Island, see pp. 6, 7, 112, 113, 130, 131, 132, 175, 176, 177.]

HOLTHUIS, L. B., and F. ALEJANDRO VILLALOBOS

1961. *Panulirus gracilis* Streets y *Panulirus inflatus* (Bouvier), dos especies de langosta (Crustacea, Decapoda) de la Costa del Pacífico de América. Anales del Instituto de Biología (University of Mexico), tomo 32, nos. 1 and 2, pp. 251-276, pls. 1-3, 1 fig. in text, 1 map.

HOWARD, A. D.

1952. Pteropods collected by the Allan Hancock Foundation. Minutes of the Conchological Club of Southern California, no. 121, pp. 12-14. July-August. [Concerning species from Cocos Island, see p. 13.]

HOWE, M. A.

1934. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 17. The Hepaticae (chiefly Riccia and Anthocerotaceae) of the Galápagos Islands and the coast and islands of Central America and Mexico. Proceedings of the California Academy of Sciences, fourth series, vol. 21, no. 17, pp. 199-210, pl. 7, October 26. [Concerning species from Cocos Island, see p. 206.]

INGRAM, W. M.

1945. An extension of the range of *Cypraea rashleighana* Melvill. *Nautilus*, vol. 58, no. 3, pp. 106-107, January.
- 1947a. Fossil and recent Cypraeidae of the western regions of the Americas. *Bulletins of American Paleontology*, vol. 31, no. 120, pp. 43(1)-124(82), pls. 5(1)-7(3), May 2. [Concerning species from Cocos Island, see pp. 58(16), 74(32), 76(34).]
- 1947b. Check list of the Cypraeidae occurring in the western hemisphere. *Bulletins of American Paleontology*, vol. 31, no. 122, pp. 137(1)-161(25), May 23. [Concerning species from Cocos Island, see pp. 147(11), 148(12).]
1948. The cypraeid fauna of the Galápagos Islands. *Proceedings of the California Academy of Sciences*, fourth ser., vol. 26, no. 7, pp. 135-145, June 28. [Concerning species from Cocos Island, see p. 140.]
1951. The living Cypraeidae of the Western Hemisphere. *Bulletins of American Paleontology*, vol. 33, no. 136, pp. 125(1)-178(54) pls. 21(1)-24(4), March 24. [Concerning species from Cocos Island, see pp. 130(6), 152(28), 155(31).]

JOHNSTON, I. M.

1931. The flora of the Revillagigedo Islands. *Proceedings of the California Academy of Sciences*, fourth ser., vol. 20, no. 2, pp. 9-104, November 18. [Concerning species from Cocos Island, see p. 35.]

KEEN, A. MYRA

1958. Sea shells of tropical west America. Marine mollusks from Lower California to Colombia. Stanford University Press: Stanford, California, pp. I-VIII, 1-624, illustr., 10 pls. col. [Concerning species from Cocos Island, see pp. 72, 406, 424.]

KIRKENDALE, G.

- 1902-1903. In search of private treasure. *Wide World Magazine*, vol. 10, p. 452.
1904. In search of a treasure island. *Wide World Magazine*, vol. 12, p. 612.

KLAUSEWITZ, W.

1958. Ergebnisse der Galápagos-Expedition 1953-1954 des Instituts für Submarine Forschung, Vaduz (Leitung: Dr. H. Haas). Fische aus dem Atlantik und Pazifik. *Senckenbergiana Bio-*

logica, Bd. 39, no. 1-2, pp. 57-84, figs. 1-7, March 31. [Concerning species from Cocos Island, see p. 73.]

KOBELT, W.

1899. Die Fauna der Cocosinsel. Nachrichtenblatt der Deutschen Malakozoologischen Gesellschaft, Jahrg. 31, nos. 1 and 2, pp. 26-28, January and February.

KUWERT, A. [F.]

1897. Die Passaliden dichotomisch bearbeitet. Zweiter Theil. Die Arten. Novitates Zoologicae, Tring, vol. 4, no. 2, pp. 274-306. [Concerning species from Cocos Island, see p. 301.]

LACK, D.

1945. The Galápagos Finches (Geospizinae). A study in variation. Occasional Papers of the California Academy of Sciences, no. 21, pp. I-VII, 1-158, pls. 1-4, map (frontispiece), figs. 1-4 in text, May 30. [Concerning species from Cocos Island, see pp. 19, 126, 129, pl. 4, fig. 6.]
1953. Darwin's Finches. Scientific American, vol. 188, no. 4, pp. 66-68, 70, 72, figs. 1-14 (numbered), 3 figs. (not numbered), April. [Concerning species from Cocos Island, see pp. 67, 72, fig. 8 (p. 66).]

LADD, H. S.

1960. Origin of the Pacific island molluscan fauna. American Journal of Science, Bradley Volume, vol. 258-A, pp. 137-150, figs. 1-3.

LALICKER, C. G., and IRENE McCULLOCH

1940. Some Textulariidae of the Pacific Ocean. Allan Hancock Pacific Expeditions, vol. 6, no. 2, pp. 115-143, pls. 13-16, January 10. [Concerning species from Cocos Island, see pp. 119, 126, 127, 137, 140.]

LAMB, D., (in collaboration with June Cleveland)

1938. Enchanted vagabonds. Harper Bros.: New York; London, I-VI[+ 1] 1-415, 1-23 halftone illustrations, maps 1-13. [See Chapter 26; "The last adventure—Cocos Island." pp. 370-409, 2 maps.]

LAMB, D., and GINGER LAMB

1939. 16,000 miles on \$4.20. Pt. 1. Popular Mechanics, vol. 72, no. 2, pp. 226-229, 118A, 119A, 11 illustr., 1 map, August; pt. 2. vol. 72, no. 3, pp. 381-383, 116A, 8 illustr., September.

LELOUP, E.

1956. Reports of the Lund University Chile Expedition 1948-1949. 27.

Polyplacophora. Lunds Universitets Årsskrift, N.F., Avd. 2, Band 52, no. 15 (Kungl. Fysiografiska Sällskapet i Lund Handlingar, N.F., Band 67, no. 15), pp. 1-93 (+ 1), figs. 1-53 in text, September 27. [Concerning species from Cocos Island, see p. 246.]

LIÈVRE, M. D.

1893. Une île déserte du Pacifique. L'Île des Cocos (Amérique). - *Revue de Géographie* (Paris), tome 32, Livraison de Mai, pp. 349-357, 2 Illustr.; Livraison de Juin, pp. 416-422; tome 33, Livraison de Juillet, pp. 34-41.

LIGHT, S. F.

1935. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 20. The termites. *Proceedings of the California Academy of Sciences*, fourth ser., vol. 21, no. 20, pp. 233-258, pls. 9-10, figs. 1-10 in text, April 3. [Concerning species from Cocos Island, see especially pp. 234, 235, 239.]

LONGSTAFF, F. V., (Major)

1941. Esquimalt Naval Base. A history of its work and its defences. Distributed by the Victoria Book & Stationery Company, Ltd., Victoria, British Columbia, pp. 1-189, frontispiece and pls. I-XII. [Concerning Cocos Island, see remarks concerning Henry St. Ledger Bury Palliser, p. 126. Palliser visited Cocos Island in 1897 on his flagship *Imperieuse*; in 1903 on a steamship *Lytton*; and in 1905 on the yacht *Veronique*.]

MACDONALD, G. A.

1949. Hawaiian petrographic province. *Bulletin of the Geological Society of America*, vol. 60, no. 10, pp. 1541-1596, figs. 1-11, October. [Concerning Cocos Island, see pp. 1588, 1589, and fig. 11.]

MALASPINA, DON ALEJANDRO

1885. Viaje político-científico alrededor del mundo por las corbetas descubierta y atrevida al mando de los capitanes de navío D. Alejandro Malaspina y Don José de Bustamante y Guerra desde 1789 á 1794, publicado con una introducción por Don Pedro de Novo y Colson. . . . Madrid, impr. de la viuda é hijos de Abienzo, 4 [title] pp., I-XXXI, [4 pp.], 1-681, 1 portrait, 6 pls., tables, fold. map. [Concerning Cocos Island, see pp. 120-121.] [Title on cover, "La Vuelta al mundo por las Corbetas Descubierta y Atrevida al mando del Capitán de Navío D. Alejandro Malaspina desde 1789 á 1794, publicado con una introducción por Don Pedro de Novo y Colson."]

MARTENS, E. VON

1890-1901. Land and freshwater Mollusca. [Edited by Godman, F. D., and Salvin, O.] *Biologia Centrali-Americana*. London, pp. I-XXVIII, 1-706, pls. 1-44.

1898. Landschnecken von der Cocos-Insel. Sitzungs-Bericht der Gesellschaft Naturforschender Freunde zu Berlin, Sitzung vom 15 November, 1898, pp. 156-160, November.

1902a. Einige Schnecken der Cocos Insel. Sitzungs-Bericht der Gesellschaft Naturforschender Freunde zu Berlin, Sitzung vom 18 März, 1902, pp. 59-62, June.

1902b. Die Meeres-Conchylien der Cocos-Insel. Sitzungs-Bericht der Gesellschaft Naturforschender Freunde zu Berlin, Sitzung vom 17 Juni, 1902, pp. 137-141, June.

MERRILL, G. P.

1893. Reports on the dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and in the Gulf of California, in charge of Alexander Agassiz . . . V. Report upon rocks collected from the Galápagos Islands. Bulletin of the Museum of Comparative Zoölogy, vol. 16, no. 13 (Geol. Ser., vol. 2). pp. 235-237, July. [Concerning "Andesite (?) " from near Chatham Bay, Cocos Island, see p. 236.]

MEREDITH, DEWITT

1939. Voyages of the *Velero III*. A pictorial version with historical background of scientific expeditions through tropical seas to equatorial lands aboard M/V *Velero III*. Published privately, pp. 1-286, table of contents and index, illustr. [Concerning Cocos Island, see pp. 86 (lower fig.), 171-173.]

MOLINA, F.

1851. Bosquejo de la Republica de Costa Rica, seguido de apuntamientos para su historia. Con varios mapas, vistas y retratos. Imprenta de S. W. Benedict, no. 16 Calle de Spruce, Nueva York, pp. 1-128, 2 fold. pl., 3 port., 8 fold map, 1 fold. plan. [Concerning Cocos Island, see p. 27.]

MONTMORENCY, H. DE

1904. On the track of a treasure. The story of an adventurous expedition to the Pacific Island of Cocos in search of a treasure of untold value hidden by pirates. Hurst & Blackett, London, pp. I-X, 1-290, 22 illustr., 1 chart.

MORRELL, B., JR., (Captain)

1832. A narrative of four voyages, to the South Sea, north and south

Pacific Ocean, Chinese Sea, Ethiopic and southern Atlantic Ocean, Indian and Antarctic Ocean. From the year 1822 to 1831. Comprising critical surveys of coasts and islands, with sailing directions. J. and J. Harper, New York, pp. I-XXVII, [28 blank], 29-492, frontispiece (portrait). [Concerning Cocos Island, see pp. 191-192.]

MORRISON, J. P. E.

1946. The nonmarine mollusks of San José Island, with notes on those of Pedro González Island, Pearl Islands, Panama. Smithsonian Miscellaneous Collections, vol. 106, no. 6, (publ. 3850), pp. 1-49, pls. 1-3, September 12. [See especially *Melampus tabogensis*, p. 36.]

MURPHY, R. C.

1936. Oceanic birds of South America; A study of species of the related coasts and seas, including the American Quadrant of Antarctica, based upon the Brewster-Sanford Collection in the American Museum of Natural History. New York, vol. 1, pp. I-XXII, 1-640, pls. 1-38 and 6 pls. (col., unnumbered), figs. 1-61 in text. [Concerning Cocos Island, see pp. 317-319, lower fig. on pl. 6 (opp. p. 171); see also maps, figs. 12, 13, 14, and 48.]

MYERS, G. S.

1941. The fish fauna of the Pacific Ocean, with especial reference to zoögeographical regions and distribution as they affect the international aspects of the fisheries. Proceedings of the Sixth Pacific Science Congress of the Pacific Science Association, University of California press, vol. 3, pp. 201-210, 1940, issued April 17, 1941. [Concerning Cocos Island, see especially pp. 204-205.]

MYERS, G. S., and C. B. WADE

1941. Four new genera and ten new species of eels from the Pacific Coast of tropical America. Allan Hancock Pacific Expeditions, vol. 9, no. 4, pp. 65-111, pls. 7-16, June 25. [Concerning species from Cocos Island, see pp. 75, 85.]

NESMITH, R. I.

1958. Dig for pirate treasure. The Devin-Adair Company, New York, pp. I-XIV, 1-302, pls. A-G, 9 line cuts including maps on inside front and back covers. [Concerning Cocos Island, see pp. 11, 18, 101, 125, 163, 206-256, 264, 287, map p. 251.]

NICHOLS, J. T., and C. M. BREEDER, JR.

1928. An annotated list of the Synentognathi with remarks on their development and relationships collected by the *Arcturus*. Zoologica, Scientific contributions of the New York Zoological Society, vol. 8, no. 7, pp. 423-448, figs. 156-176 inclusive, June 11. [Concerning species from Cocos Island, see pp. 424, 426, 427, 443.]

OLSSON, A. A.

1956. Studies on the genus *Olivella*. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 108, pp. 155-225, pls. 8-16, October 3. [Concerning species from Cocos Island, see p. 180.]

OSBURN, R. C.

1950. Bryozoa of the Pacific Coast of America. Part 1, Cheilostomata-Anasca. Allan Hancock Pacific Expeditions, vol. 14, no. 1, pp. 1-269, pls. 1-29, June 20. [Concerning species from Cocos Island, see p. 47.]
1952. Bryozoa of the Pacific Coast of America. Pt. 2, Cheilostomata-Ascophora. Allan Hancock Pacific Expeditions, vol. 14, no. 2, pp. 271-611, pls. 30-64, March 20. [Concerning species from Cocos Island, see pp. 281, 447, 468, 479.]

PALLISER, E., G. BRAWNER, and P. STACHWICK

1932. Six months on a deserted island. The American Magazine, vol. 113, no. 2, pp. 18-21, 132-135, 7 illustrations, February.

PASSMORE, R. Mc. C.

1895. Informe sobre la Isla del Coco. Memoria presentada al Congreso Constitucional por el Secretario de Estado en los despachos de Guerra y Marina, Gral. don Juan B. Quirós, Tipografía Nacional, San José, Costa Rica; Marina, pp. 30-34.

PILSBRY, H. A.

1900. Note on the anatomy of *Guppya Hopkinsi* Dall. See Dall, W. H., 1900, p. 105, 4 figs. in text.

PILSBRY, H. A., and C. M. COOKE

1920. Pupillidae (Gastrocoptinae, Vertigininae). Manual of Conchology, Second Series, Pulmonata, vol. 25, pt. 100, pp. 225-404, pls. 19-34, April. [See "Cocos Island Species," pp. 322-324.]

PILSBRY, H. A., and H. N. LOWE

1932. West Mexican and Central American Mollusks collected by H.

N. Lowe, 1929-31. Proceedings of the Academy of Natural Sciences of Philadelphia, vol. 84, pp. 33-144, pls. 1-17, figs. 1-6 in text, May 21. [Concerning species from Cocos Island, see p. 67.]

PILSBRY, H. A., and E. G. VANATTA

1902. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. XIII. Marine Mollusca. Proceedings of the Washington Academy of Sciences, vol. 4, pp. 549-560, pl. 35, September 30. [Concerning species from Cocos Island, see p. 559.]

PINCHOT, G.

1930. To the South Seas. The cruise of the schooner *Mary Pinchot* to the Galápagos, the Marquesas, and the Tuamotu Islands, and Tahiti. The John C. Winston Company, Philadelphia, pp. I-XIII, 1-500, frontispiece and 246 halftone illustr., 16 vignettes, 3 maps and maps inside front and back covers. [Concerning Cocos Island, see pp. 56-97, 492.]

PITTIER, H.

1899. Apuntamientos preliminares sobre la Isla de Cocos, posesión costarricense en el Oceano Pacífico. Ministerio de Fomento, San José, Costa Rica. Memoria de Fomento presentada al Congreso Constitucional de 1899, pp. 141-153, 1 map. [See also N. Chavarría Mora, pp. 155-158, and A. Alfaro, pp. 159-162.]

PLUMPTON, J., (Commander)

[1936.] Treasure cruise; the voyage of the *Vigilant* to Cocos Island. . . . with an introduction by Adm. A. V. Campbell. H. F. and G. Witherby, London, pp. 1-191, frontispiece, plates and 2 maps.

RATHBUN, MARY J.

1902. Papers from the Hopkins Stanford Galápagos Expedition, 1898-1899. VIII. *Brahyura* and *Maerura*. Proceedings of Washington Academy of Sciences, vol. 4, pp. 275-292, pl. 12, June 20. [Concerning species from Cocos Island, see p. 281.]

1930. The caneroid crabs of America of the families Euryalidae, Portunidae, Atelecyclidae, Caneridae and Xanthidae. United States National Museum, Bulletin 152, pp. I-XVI, 1-609, pls. 1-230, figs. 1-85 in text, May 29. [Concerning species from Cocos Island, see pp. 69, 138, 242, 552.]

RICHMOND, C. W.

1902. Note on *Pinaroloxias inornata* (Gould). Proceedings of the

Biological Society of Washington, vol. 15, pp. 247-248, December 16.

RIESENBERG, H. E.

1951. The story behind Cocos Island and the "Loot of Lima." *Pacific Discovery*, published by California Academy of Sciences, vol. 4, no. 6, pp. 4-15, 15 illustr., November-December.

ROBINSON, B. L.

1902. Contributions from the Gray Herbarium of Harvard University. New Series.—No. XXIV. (Papers from the Hopkins-Stanford Expedition to the Galápagos Islands.) *Flora of the Galápagos Islands*. *Proceedings of the American Academy of Arts and Sciences*, vol. 38, no. 4, pp. 77-269, pls. 1-3, October. [Concerning plants from Cocos Island, see pp. 241, 261-263.]

ROBSON, G. C.

1929. A monograph of the Recent Cephalopoda based on the collections in the British Museum (Natural History). Part 1, Octopodinae. Printed by order of the trustees of the British Museum, pp. I-XI, 1-236, pls. 1-7, figs. 1-89 in text, July 27. [Concerning species from Cocos Island, see p. 150.]
1932. The same, Part 2, Octopoda, pp. I-XI, 1-359, pls. 1-6, figs. 1-79 in text, January 23. [Concerning species from Cocos Island, see pp. 103, 197, 240.]
1948. The Cephalopoda Decapoda of the Areturus Oceanographic Expedition, 1925. *Zoologica*, Scientific Contributions of the New York Zoological Society, vol. 33, pt. 3, no. 7, pp. 115-132, figs. 1-18 in text, November 29. [Concerning species from Cocos Island, see pp. 117, 118, 120, 121, 125, 127, 128, 130.]

ROGERS, S. R. H.

1931. *The Pacific*. Thomas Y. Crowell Company, New York, pp. 1-254, illustr. [Concerning Cocos Island, see pp. 100-105, 2 figs.]

ROSE, J. N.

1892. List of plants from Cocos Island. *Contributions from the United States National Herbarium*, vol. 1, no. 5(1), p. 135, September 20.

ROSE, RUTH

1926. Cocos—A tale of treasure. [In Beebe, W.] *The Arcturus adventure*, G. P. Putnam's Sons, New York and London, pp. 250-281, figs. 40-41.

ROST, HELEN

1955. A report on the Family Arcidae (Pelecypoda). Allan Hancock Pacific Expeditions, vol. 20, no. 2, pp. 177-248, pls. 11-16, figs. 79-95 in text, November 10. [Concerning species from Cocos Island, see p. 227.]

ROTHSCHILD, W.

1902. [Exhibition of and comments upon] specimens of the land-birds of Cocos Island, midway between the Galápagos Islands and Costa Rica. Bulletin of the British Ornithologists' Club, vol. 13, no. 91, p. 6, October 31.

SACHET, MARIE-HÉLÈNE, and F. R. FOSBERG

1955. Island bibliographies. (Micronesian botany, land environment and ecology of coral atolls, vegetation of tropical Pacific islands.) Compiled under the auspices of the Pacific Science Board. Publication 335, National Academy of Sciences-National Research Council, pp. I-V, 1-577.

SAVELL, M.

1934. Cocos, perennial goal of treasure seekers. Literary Digest, vol. 117, no. 15, whole no. 2295, pp. 42-43, 2 illustrs., April 14.

SCHILDER, F. A., and MARIA SCHILDER

1938. Prodrôme of a monograph on living Cypræidae. Proceedings of the Malacological Society of London, vol. 23, pt. 3, pp. 119-180, unnumbered figs. (p. 125), November 15; pt. 4, pp. 181-231, 9 maps, March 15. [Concerning species from Cocos Island, see pp. 176, 197.]

SCHMIDT, K. P.

1930. Essay on the zoogeography of the Pacific islands. (In Shurecliff, S. N., *Jungle Islands*). Putnam Press, New York, pp. 275-292. [Concerning Cocos Island, see pp. 278-280.]

SCHMITT, W. L.

- 1939a. The presidential cruise of 1938. Explorations and field-work of the Smithsonian Institution in 1938. Smithsonian Institution, publ. 3525, pp. 1-14, figs. 1-11 in text. [Concerning Cocos Island, see p. 12, figs. 1, 6(2), 9, 11.] [Concerning a popular account of the itinerary of this cruise see Anonymous, 1938b.]
- 1939b. Decapod and other crustacea collected on the presidential cruise of 1938 (with introduction and station data). Smithsonian Miscellaneous Collections, vol. 98, no. 6, publ. 3531, pp. 1-29, pls. 1-3, June 15. [Concerning Cocos Island, see especially pp. 5, 27-28, pl. 2, fig. 2.]

SCHMITT, W., and L. P. SCHULTZ

1940. List of the fishes taken on the presidential cruise of 1938. Smithsonian Miscellaneous Collections, vol. 98, no. 25, publ. 3551, pp. 1-10, January 4. [Concerning species from Cocos Island, see pp. 4, 6, 8, 9.]

SCHOTT, C.

1931. Der Peru-Strom und seine nördlichen Nachbargebiete in normaler und anormaler Ausbildung. Annalen der Hydrographie und Maritimen Meteorologie, Zeitschrift für Seefahrt- und Meereskunde, Herausgegeben von der Deutschen Seewarte Hamburg, Jahrg. 59, Heft 5, pp. 161-169, figs. 1-2 in text, Taf. 17, May 15; Heft 6, pp. 200-213, figs. 3, 4 in text, Taf. 20, 21, 22, June 15; Heft 7, pp. 240-253, July 15.

SEALE, A.

1940. Report on fishes from Allan Hancock Expeditions in the California Academy of Sciences. Allan Hancock Pacific Expeditions, vol. 9, no. 1, pp. 1-46, pls. 1-5, April 29. [Concerning species from Cocos Island, see pp. 16, 17, 22, 23, 24, 27, 29, 35, 45.]

SEYMOUR, GEORGE, (Sir)

1849. Notes on the Island of Cocos, and two of the Galápagos. Journal of the Royal Geographical Society of London, vol. 19, pp. 20-22.

SHOEMAKER, C. R.

1942. Amphipod crustaceans collected on the Presidential Cruise of 1938. Smithsonian Miscellaneous Collections, vol. 101, no. 11, publ. 3677, pp. 1-52, figs. 1-17, March 5. [Concerning species from Cocos Island, see pp. 4, 32.]

SHUMWAY, G.

1954. Carnegie Ridge and Cocos Ridge in the east equatorial Pacific. Journal of Geology, vol. 62, no. 6, pp. 573-586, figs. 1-7 in text, November. [Concerning Cocos Ridge, see especially pp. 580-584, figs. 2, 6 and 7.]

SHURCLIFF, S. N.

1930. Jungle islands. The *Illyria* in the South Seas. The record of the Crane Pacific Expedition, Field Museum of Natural History, Chicago, Illinois. With a scientific appendix by Karl Patterson Schmidt. G. P. Putnam's Sons, New York, London, pp. 1-XV, 1-298, frontispiece (col.), 92 illustr., (8 col.; 2 charts).

[Zoogeography by Schmidt, pp. 275–292] [Concerning Cocos Island, see chapter IV, pp. 57–70, 4 pls.]

SLEVIN, J. R.

1931. Log of the schooner *Academy* on a voyage of scientific research to the Galápagos Islands 1905–1906. California Academy of Sciences, Occasional Papers No. 17, pp. 1–162, pls. 1–16, 1 map, February 14. [Concerning Cocos Island, see pp. 27–32, and pls. 2 and 3.]

1935. An equatorial wonderland. The Galápagos—a country of great volcanoes, giant tortoises, and flightless birds. Natural History. The Journal of the American Museum of Natural History, vol. 36, pp. 375–388, 14 illustrations, December. [Concerning illustrations taken at Cocos Island, see pp. 383, 388.]

SNODGRASS, R. E.

1902. See Banks, N., 1902, pp. 71–80.

SNODGRASS, R. E., and E. HELLER

1902. Papers from the Hopkins Stanford Galápagos Expedition, 1898–1899. XI. The birds of Clipperton and Cocos islands. Proceedings of the Washington Academy of Sciences, vol. 4, pp. 501–520, September 30. [Concerning species from Cocos Island, see pp. 504–505.]

1903. Papers from the Hopkins Stanford Galápagos Expedition, 1898–1899. XVI. Birds. Proceedings of the Washington Academy of Sciences, vol. 5, pp. 231–372, January 28. [Concerning species from Cocos Island, see pp. 239, 242, 246, 356.]

1905. Papers from the Hopkins Stanford Galápagos Expedition, 1898–1899. XVII. Shore fishes of the Revillagigedo, Clipperton, Cocos and Galápagos islands. Proceedings of the Washington Academy of Sciences, vol. 6, pp. 333–427, January 31. [38 species reported from Cocos Island, p. 425.]

SOOT-RYEN, T.

1955. A report on the family Mytilidae (Pelecypoda). Allan Hancock Pacific Expeditions, vol. 20, no. 1, pp. 1–174, pls. 1–10, text figs. 1–78, November 10. [Concerning species from Cocos Island, see pp. 130, 141.]

SPHON, G. G., JR.

1961. Notes on the Mitridae of the eastern Pacific. 1—*Mitra fultoni* E. A. Smith. Veliger, vol. 4, no. 1, pp. 32–36, pl. 7, 1 fig. in text (map), July 1. [Species recorded from Cocos Island, pp. 34, 35.]

STEBBING, T. R. R.

1903. Amphipoda from Costa Rica. Proceedings of the United States National Museum, vol. 26, no. 1341, pp. 925-931, pls. 60, 61, July 9. [Concerning species from Cocos Island, see p. 928.]

STEJNEGER, L.

1900. Reports on the dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and in the Gulf of California, in charge of Alexander Agassiz, carried on by the U.S. Fish Commission steamer *Albatross*, during 1891, Lieut. Commander Z. L. Tanner, U.S.N., commanding. XXVIII. Description of two new lizards of the genus *Anolis* from Cocos and Malpelo islands. Bulletin of the Museum of Comparative Zoölogy at Harvard College, vol. 36, no. 6, pp. 161-164, 1 pl., November. [*Anolis townsendi* described from Cocos Island, p. 163.]
1903. Description of a new species of gecko from Cocos Island. Proceedings of the Biological Society of Washington, vol. 16, pp. 3-4, February 21. [*Sphaerodactylus pacificus* described from Cocos Island.]

STEWART, A.

1911. Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906. II. A botanical survey of the Galápagos Islands. Proceedings of the California Academy of Sciences, fourth ser., vol. 1, pp. 7-288, pls. 1 (map)-19, January 20. [Concerning Cocos Island, see p. 230.]
1912. Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906. V. Notes on the botany of Cocos Island. Proceedings of the California Academy of Sciences, fourth ser., vol. 1, pp. 375-404, pls. 31-34, January 19. (January 16 on p. 375).

STRONG, A. M., and H. N. LOWE

1936. West American species of the genus *Phos*. Transactions of the San Diego Society of Natural History, vol. 8, no. 22, pp. 305-320, pl. 22, December 7. [Concerning species from Cocos Island, see p. 310.]

SVENSON, H. K.

1935. Plants of the Astor Expedition, 1930 (Galápagos and Cocos islands). American Journal of Botany, vol. 22, no. 2, pp. 208-277, pls. 1-9, February 22. [Includes "Catalogue of Plants," various families identified by E. B. Bartram, p. 260; A. Chase,

pp. 260-261; L. B. Smith, p. 261; C. Schweinfurth, pp. 261-263; H. A. Gleason, pp. 263-264. Concerning Cocos Island, see pp. 259-265.]

SWARTH, H. S.

1931. The Avifauna of the Galápagos Islands. Occasional Papers of the California Academy of Sciences, no. 18, pp. 1-299, pl. 1 (map), figs. 1-57 in text, June 29. [Concerning species from Cocos Island, see pp. 268-271.]

TAMBS, E.

1934. The cruise of the *Teddy*. Harcourt Brace & Co., New York, pp. I-XX, 1-237, 30 illustr. [Concerning Cocos Island, see pp. 89-101.]

TANNER, Z. L.

1893. Report upon the investigations of the U.S. Fish Commission steamer *Albatross* from July 1, 1889, to June 30, 1891. [In] United States Commission of Fish and Fisheries, pt. XVII. Report of the commissioner for 1889 to 1891, pp. 207-342, pl. 1. [Concerning Cocos Island, see pp. 260-262.]

TAYLOR, E. H.

1956. A review of the lizards of Costa Rica. University of Kansas Science Bulletin, vol. 38, pt. 1, no. 1, pp. 3-322, figs. 1-76, December 20. [Concerning species from Cocos Island, see pp. 34-38, figs. 5, 6, and pp. 123-126, fig. 33.]

THOMAS, F. J.

1960. Treasure of Cocos Island. *Américas*, vol. 12, no. 5, pp. 31-34, 4 illustr., May.

1960a. The treasure of Cocos Island. *Science Digest*, vol. 48, no. 4, pp. 79-82, 2 illustr., October.

THOMAS, P.

1745. A true and impartial journal of a voyage to the South Seas, and round the globe, in His Majesty's Ship the *Centurion*, under the command of Commodore George Anson, . . . J. Newberry, London, pp. A2 [i-14], 1-347, ap. 1-39. [Concerning Cocos Island, see pp. 103, 110-111, ap. p. 31.]

TOMLIN, J. R. LEB.

1927-1929. The Mollusca of the *St. George* Expedition. (I). The Pacific Coast of S. America. *Journal of Conchology*, vol. 18, no. 6, pp. 153-170, December, 1927; vol. 18, no. 7, pp. 187-198,

May, 1928. (II). The West Indies, vol. 18, no. 11, pp. 307-310, July, 1929.

TOWNSEND, C. H.

1895. Reports on dredging operations off the west coast of Central America to the Galápagos, to the west coast of Mexico, and in the Gulf of California, in charge of Alexander Agassiz, carried on by the U.S. Fish Commission steamer *Albatross*, during 1891, Lieut. Commander Z. L. Tanner, U.S.N., commanding. XVII. Birds from Cocos and Malpelo islands, with notes on petrels obtained at sea. Bulletin of the Museum of Comparative Zoölogy at Harvard College, vol. 27, no. 3, pp. 121-126, 2 pls. (colored), July.

TREADWELL, A. L.

1928. Polychaetous annelids from the *Arcturus* Oceanographic Expedition. Zoologica, Scientific Contributions of the New York Zoological Society, vol. 8, no. 8, pp. 449-485, figs. 177-179 inclusive, December 5. [Concerning species from Cocos Island, see pp. 450, 472, 478.]

TURNER, RUTH D., and K. J. BOSS

1962. The genus *Lithophaga* in the western Atlantic. *Johnsonia*, vol. 4, no. 41, pp. 81-116, pls. 57-75, September 7. [Concerning species from Cocos Island, see p. 108.]

VANCOUVER, G., (Captain)

1798. A voyage of discovery to the north Pacific Ocean, and round the world; in which the coast of north-west America has been carefully examined and accurately surveyed. Undertaken by his majesty's command, principally with a view to ascertain the existence of any navigable communication between the north Pacific and north Atlantic Oceans; and performed in the years 1790, 1791, 1792, 1793, 1794, and 1795, in the *Discovery* sloop of war, and armed tender *Chatham*, under the command of Captain George Vancouver. London, vol. 3, [6 pp. not paginated] pp. 1-505, pls. XII-XVII. [Concerning Cocos Island, see pp. 362-376.]

VANDERBILT, W. K.

1927. To Galápagos on the *Ara* 1926. The events of a pleasure-cruise to the Galápagos Islands and a classification of a few rare aquatic findings, including two specimens of a new species of shark never caught before and here described for the first time. Privately printed, pp. I-XV, 1-161, 30 illustr. in color,

65 illustr. in black and white, 2 maps. [Concerning Cocos Island, see pp. 41-46, 159, and illustr. opp. p. 37 and on p. 45.]

VINTON, K. W.

1951. Origin of life on the Galápagos Islands. *American Journal of Science*, vol. 249, no. 5, pp. 356-376, pls. 1-2, figs. 1 and 2 in text, May. [Concerning Cocos Island, see especially pp. 363-364, 366-374, and fig. 1.]

WAFER, L.

- [1699] 1903. A new voyage and description of the Isthmus of America . . . by Lionel Wafer; reprinted from the original edition of 1699; ed. by George Parker Winship. The Burrows Brothers Company, Cleveland, pp. 1-212, frontispiece, 3 pls., 1 map. [Cocos Island, pp. 32-33, 194-195, reprint pp. 176-177. See also pp. 379-380, in Volume of a collection of voyages published by James and John Knapton, London, 1729.]

WALLACE, A. R.

1876. The geographical distribution of animals with a study of the relations of living and extinct faunas as elucidating the past changes of the earth's surface. Macmillan and Company, London, vol. 2, pp. 1-VIII, 1-607, pls. XIV-XX, 2 maps. [Concerning Cocos Island, see p. 60.]

WASMANN, E.

1902. Termiten, Termitophilen und Myrmekophilen, gesammelt auf Ceylon von Dr. W. Horn 1899, mit anderem ost-indischen Material Bearbeitet von E. Wasmann. *Zoologische Jahrbücher, Abtheilung für Systematik, Geographie und Biologie der Thiere*, Band 17, Heft 1, pp. 99-164, Tafel 4, 5, October 1. [Concerning species from Cocos Island, see pp. 139, 140.]

WETMORE, A.

1939. Birds from Clipperton Island collected on the presidential cruise of 1938. *Smithsonian Miscellaneous Collections*, vol. 98, no. 22, publ. 3548, pp. 1-6, August 11. [Concerning species from Cocos Island, see pp. 4, 6.]

WHEELER, W. M.

1919. Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906. XV. The ants of Cocos Island. *Proceedings of the California Academy of Sciences*, fourth ser., vol. 2, pt. 2, no. 15, pp. 299-308, June 16.
1933. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 6. Formicidae of the Templeton

Crocker Expedition. Proceedings of the California Academy of Sciences, fourth ser., vol. 21, no. 6, pp. 57-64, March 22. [Concerning species from Cocos Island, see p. 61.]

WILKINS, H. T.

1934. Modern buried treasure hunters. With a foreword by Sir Malcolm Campbell (p. IX), pp. I-X, 1-293, frontispiece and 8 illustr. [Concerning Cocos Island, see "The truth about Cocos Island" pp. 100-138.]

1940. Panorama of treasure hunting. Romantic adventures in strange lands and queer places. With a foreword by Admiral Bertram Chambers, C. B. (pp. IX-XIII). E. P. Dutton & Co., Inc., New York, pp. I-XX, 1-582, frontispiece, 37 illustr., also charts and sketches. [Concerning Cocos Island, see pp. 105-169, 1 chart, 4 halftone illustr.]

WILLIAMS, F. X.

1911. Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906. III. The butterflies and hawk-moths of the Galápagos Islands. Proceedings of the California Academy of Sciences, fourth ser., vol. 1, pp. 289-322, pls. 20, 21, October 7. [Concerning species from Cocos Island, see pp. 295-296, 317.]

1926. Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906. The bees and aculeate wasps of the Galápagos Islands. Proceedings of the California Academy of Sciences, fourth ser., vol. 2, pt. 2, no. 18, pp. 347-357, May 21. [Concerning species from Cocos Island, see p. 349.]

WOODLY, W. J., and P. HINKLE

1880. History of the buried treasure on Cocos Island, and confession of the pirates the night before execution, in Kingston, Jamaica. Taylor and Nevin, printers and engravers, 534 Commercial Street, San Francisco, pp. 1-32, May 30.

ZIESENHENNE, F. C.

1937. The Templeton Crocker Expedition, X. Echinoderms from the West Coast of Lower California, the Gulf of California and Clarion Island. Zoologica, Scientific Contributions of the New York Zoological Society, vol. 22, pt. 3, pp. 209-239, text figs. 1-2, October 7. [Concerning species from Cocos Island, see p. 215.]

1940. New Ophiurans of the Allan Hancock Pacific Expeditions. Allan Hancock Pacific Expeditions, vol. 8, no. 2, pp. 9-59, pls. 2-9,

April 12. [Concerning species from Cocos Island, see pp. 12, 30.]

1942. New Eastern Pacific Sea Stars. Allan Hancock Pacific Expeditions, vol. 8, no. 4, pp. 197-223, October 14. [Concerning species from Cocos Island, see pp. 209, 212.]
1955. A review of the genus *Ophioderma* M. & T. Essays in the Natural Sciences in honor of Captain Allan Hancock on the occasion of his birthday, July 26, 1955. University of Southern California Press, Los Angeles, pp. 185-201, November 8. [Concerning species from Cocos Island, see pp. 193, 198.]